



US00D459433S

(12) **United States Design Patent**
Schmon

(10) **Patent No.:** **US D459,433 S**

(45) **Date of Patent:** **** *Jun. 25, 2002**

(54) **SPRAY GUN HEAD RING**

(75) Inventor: **Ewald Schmon**, Grafenberg (DE)

(73) Assignee: **SATA-Farbspritztechnik GmbH&Co.**, Kornwestheim (DE)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/113,815**

(22) Filed: **Nov. 15, 1999**

(30) **Foreign Application Priority Data**

May 14, 1999 (DE) 499 04 806

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/213; D23/223**

(58) **Field of Search** **D23/213, 223, D23/226; 239/690-692; 361/227-228**

(56) **References Cited**

U.S. PATENT DOCUMENTS

D133,223 S	*	7/1942	Tammen	D23/226
2,356,865 A	*	8/1944	Mason	239/690
2,557,593 A	*	6/1951	Bjorkman	239/528
2,557,606 A	*	6/1951	Liedberg	239/690
D252,097 S	*	6/1979	Probst et al.	D23/226
5,332,156 A	*	7/1994	Wheeler	239/526
5,609,302 A	*	3/1997	Smith	239/526
5,836,517 A	*	11/1998	Burns et al.	239/525
D409,719 S	*	5/1999	Kaneko	D23/226

OTHER PUBLICATIONS

Warwick Industries, Inc, Color brochure of model 861 HVLP, 827 HVLP, and 828 HVLP guns, 1 page (date, unknown).

ANI, S.p.A., Quality Air ANI Tech color brochure of F1 Super/S HVLP and F1 SUPER/I HVLP spray guns, 2 pages (date on brochure provided Jun. 6, 2000).

Astro Pneumatic Tool Co., Color rochure showing model HVLPDX, HVLP6GFS,AS6S, AS7S, AS7SP, AS8S, GF14S, GF20S, GF6S guns, 2 pages (date unknown).

Warwick Industries, Inc, Color brochure of series 827 HVLP, 828 HVLP and 868 HVPL guns, 4 pages (date, unknown).

* cited by examiner

Primary Examiner—Robin V. Taylor

(74) *Attorney, Agent, or Firm*—Hall, Priddy, Myers & Vande Sande

(57) **CLAIM**

The ornamental design for a spray gun head ring, as shown and described.

DESCRIPTION

FIG. 1 is a front-side perspective of a spray gun head ring in accord with the present invention.

FIG. 2 is a side view of the ring of FIG. 1 having at its front a band of color that is in color contrast with the finish of the adjacent area to the rear of the ring.

FIG. 3 is a front view of the ring of FIG. 1.

FIG. 4 is a rear-side perspective of the ring of FIG. 1.

FIGS. 5-7 illustrate a first alternative to the form of the ring of FIGS. 1-4, the FIGS. 5-7 alternative also being useful on a gun as exemplified in FIG. 1.

FIG. 5 is a side view similar to FIG. 2, having a band of color at the front; the axial lines in the adjacent area to the rear of the ring signify surface ridges.

FIG. 6 is a front view of the ring of FIG. 5.

FIG. 7 is a rear-side perspective of the ring of FIG. 5.

FIGS. 8-10 illustrate a second alternative to the form of the ring of FIGS. 1-4, the FIGS. 8-10 alternative also being useful on a gun as exemplified in FIG. 1.

FIG. 8 is a side view similar to FIG. 2, except that here the band of color is at the rear.

FIG. 9 is a front view of the ring of FIG. 8.

FIG. 10 is a rear-side perspective of the ring of FIG. 8.

FIGS. 11-13 illustrate a third alternative to the form of the ring of FIGS. 1-4, the FIGS. 11-13 alternative also being useful on a gun as exemplified in FIG. 1.

FIG. 11 is a side view similar to FIG. 2, except that here there are two bands of color, respectively located at the front and rear of the ring, separated by an area with which the bands are in color contrast.




FIG. 12 is a front view of the ring of FIG. 11; and, FIG. 13 is a rear-side perspective of the ring of FIG. 11.

Those portions of the structures shown in the drawings in form of broken lines represent parts of the gun other than the spray head ring. The specific shape of these parts do not limit the present design.

Solid black shading represents color contrast in the sense that the area(s) so shaded, which may be of any "color", for example red, blue or black, is/are in color contrast with adjacent areas of the design. Open areas adjacent the solid black shading signify surface finish(es) that is/are colored or

uncolored, including metallic finish, such as chrome, nickel or any other silvery, metallic finish.

Only one side view of each embodiment has been shown since each of the embodiments is symmetrical and the side opposite to the one shown is a mirror image of the side shown. Portions of the interiors of the rings not shown in the drawings constitute functional or mechanical features forming no part of the present design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2

FIG. 3





FIG. 4




FIG. 5

FIG. 6





FIG. 7




FIG. 8

FIG. 9





FIG. 10




FIG. 11

FIG. 12





FIG. 13