



US00D459732S

(12) **United States Design Patent**  
**Sasaki et al.**

(10) **Patent No.:** **US D459,732 S**

(45) **Date of Patent:** **\*\* Jul. 2, 2002**

(54) **ROD-END BEARING**

(75) Inventors: **Gen Sasaki; Shinichi Akao**, both of  
Nagano-ken (JP)

(73) Assignee: **Minebea Co. Ltd.**, Nagano (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/116,234**

(22) Filed: **Dec. 30, 1999**

(30) **Foreign Application Priority Data**

Jul. 7, 1999 (JP) ..... 11-18129

(51) **LOC (7) Cl.** ..... **15-01**

(52) **U.S. Cl.** ..... **D15/3**

(58) **Field of Search** ..... D15/143; D8/356;  
264/242, 264; 384/206, 207; 425/DIG. 34

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,753,225 A \* 7/1956 Gilmer, III ..... 384/207

4,043,617 A \* 8/1977 Cain et al. .... 384/207

4,080,015 A \* 3/1978 Greby et al. .... 384/207

5,829,887 A \* 11/1998 Strong et al. .... 384/206

D443,285 S \* 6/2001 Sasaki et al. .... D15/143

\* cited by examiner

*Primary Examiner*—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Staas & Halsey LLP

(57) **CLAIM**

The ornamental design for a rod end bearing, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a rod-end bearing showing our new design;

FIG. 2 is a rear view thereof; and,

FIG. 3 is a left side view, the right side view being a mirror image thereof—the top plan view and bottom plan view being the same image thereof.

**1 Claim, 2 Drawing Sheets**




FIG. 1





FIG. 2



# FIG. 3

