



US00D459980S

(12) **United States Design Patent** (10) **Patent No.:** **US D459,980 S**
Nishida et al. (45) **Date of Patent:** **** Jul. 9, 2002**

(54) **RETAINER**

(75) Inventors: **Yasutaka Nishida; John J. Valdes,**
both of Macon, GA (US)

(73) Assignee: **YKK Corporation of America,**
Marietta, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/151,095**

(22) Filed: **Dec. 5, 2001**

D265,381 S * 7/1982 Borja D8/395
4,947,526 A * 8/1990 Fogelman 24/336
D322,927 S * 1/1992 Schuster D8/367
5,758,851 A * 6/1998 Remmers 248/251

* cited by examiner

Primary Examiner—Pamela Burgess

(74) *Attorney, Agent, or Firm*—Kramer & Associates, P.C.

(57) **CLAIM**

The ornamental design for a retainer, as shown.

Related U.S. Application Data

(62) Division of application No. 29/133,544, filed on Dec. 1,
2000, now Pat. No. Des. 454,294.

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/373; D8/367**

(58) **Field of Search** D8/367, 373; D6/323;
248/215, 301–304, 339, 205.3, 227, 218.1–218.3,
216.3, 222.2, 467, 216.4, 251; D19/65;
24/251

(56) **References Cited**

U.S. PATENT DOCUMENTS

D251,124 S * 2/1979 Takeuchi D19/65

DESCRIPTION

FIG. 1 is a front perspective view of a retainer showing our
new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a front elevational view thereof;


FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7