



US00D460162S

(12) **United States Design Patent**
Carrier

(10) **Patent No.:** **US D460,162 S**

(45) **Date of Patent:** **** Jul. 9, 2002**

(54) **HEATED TOILET SEAT**

(76) **Inventor:** **Clifton Carrier**, P.O. Box 152,
Pittsfield, NH (US) 03263

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/133,600**

(22) **Filed:** **Dec. 1, 2000**

(51) **LOC (7) Cl.** **23-02**

(52) **U.S. Cl.** **D23/311; 4/DIG. 6**

(58) **Field of Search** **D23/295-299,**
D23/303, 309, 311-312; 4/300, 347, 209 R,
217, 234, 237-239, 902, DIG. 6

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,334,137	A	*	3/1920	Delany	4/239
4,117,559	A	*	10/1978	Boyle	4/209 R
4,251,888	A	*	2/1981	Turner	4/217 X
5,307,524	A	*	5/1994	Veal	4/246.1

* cited by examiner

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Robert A. Delehanty

(57) **CLAIM**


The ornamental design for a heated toilet seat, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the heated toilet seat of the present invention;
FIG. 2 is a rear elevational view of the heated toilet seat of FIG. 1;
FIG. 3 is a bottom plan view of the heated toilet seat of FIG. 1;
FIG. 4 is a top plan view of the heated toilet seat of FIG. 1;
FIG. 5 is a left side elevational view of the heated toilet seat of FIG. 1; and,
FIG. 6 is a right side elevational view of the heated toilet seat of FIG. 1.

The electrical cord is shown broken away to indicate indeterminate length in FIGS. 1-2 and 5-6.

1 Claim, 4 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

