



US00D460181S

(12) **United States Design Patent**  
**Swenson**

(10) **Patent No.:** **US D460,181 S**

(45) **Date of Patent:** **\*\* Jul. 9, 2002**

(54) **TRANSFER DEVICE**

(75) **Inventor:** **Kirk D. Swenson**, Wayne, NJ (US)

(73) **Assignee:** **Becton, Dickinson and Company**,  
Franklin Lakes, NJ (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/146,237**

(22) **Filed:** **Aug. 7, 2001**

(51) **LOC (7) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/130; D24/108; D24/129**

(58) **Field of Search** ..... **D24/130, 129,**  
**D24/112, 114, 167, 109, 108; 604/411,**  
**263, 533, 535, 539, 6.15, 7, 8, 198; 600/576,**  
**578, 573**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,788,986 A \* 12/1988 Harris ..... 600/576

D307,796 S \* 5/1990 Hanifl et al. .... D24/130  
5,069,225 A \* 12/1991 Okamura ..... 600/578  
D408,079 S \* 4/1999 Ellis ..... D24/108  
6,224,576 B1 \* 5/2001 Thorne et al. .... 604/198

\* cited by examiner

*Primary Examiner*—Ian Simmons

(74) *Attorney, Agent, or Firm*—Nanette S. Thomas


(57) **CLAIM**

The ornamental design of a transfer device, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of the transfer device;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a rear elevational view thereof.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5





FIG. 6






FIG. 7