



US00D460236S

(12) **United States Design Patent** (10) **Patent No.:** **US D460,236 S**
Perelli et al. (45) **Date of Patent:** **** Jul. 9, 2002**

(54) **DOLLY HAVING TWO SUPPORTS
HINGEDLY JOINED TOGETHER**

(75) Inventors: **Thomas Perelli; Craig J. Demko**, both
of Winchester, VA (US)

(73) Assignee: **Rubbermaid Commercial Products
LLC**, Winchester, VA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/145,050**

(22) Filed: **Jul. 16, 2001**

Related U.S. Application Data

(63) Continuation of application No. 09/790,560, filed on Feb.
23, 2001.

(51) **LOC (7) Cl.** **12-02**

(52) **U.S. Cl.** **D34/23**

(58) **Field of Search** D34/12-27; 280/79.11,
280/79.3, 47.34, 87.02, 47.19, 47.27, 32.5,
32.6

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,031,207 A 4/1962 Bard 280/460
4,114,914 A 9/1978 Cohen 280/30

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

GB 810882 3/1959
GB 1058591 2/1967
GB 2241874 9/1991

OTHER PUBLICATIONS

Continental Catalog, Continental Manufacturing Company,
“Huskee Trolley”, p. 9.

Energy Recycling Co. Catalog, “CartX”.

Waterloo Industries Catalog, Waterloo Recycling Systems,
“Curbside Collection Carts”.

Lab Safety Supply Catalog, Refuse Containers/Recycling
Containers.

Primary Examiner—Kay H. Chin

(74) *Attorney, Agent, or Firm*—Foley & Lardner

(57) **CLAIM**

The ornamental design for a dolly having two supports
hingedly joined together, as shown and described.

DESCRIPTION

FIG. 1 is a frontal perspective view of a dolly having two
supports hingedly joined together, each support having a
mounting mechanism thereon, the figure showing both sup-
ports laying flat;

FIG. 2 is a front view of the dolly shown in FIG. 1;

FIG. 3 is a back view of the dolly shown in FIG. 1;

FIG. 4 is a right-side view of the dolly shown in FIG. 1;

FIG. 5 is a left-side view of the dolly shown in FIG. 1;

FIG. 6 is a top view of the dolly shown in FIG. 1;

FIG. 7 is a bottom view of a dolly shown in FIG. 1;

FIG. 8 is a bottom view of a dolly having a substantially flat
surface, the other views being the same as those of the dolly
shown in FIGS. 1-6;

FIG. 9 is a frontal perspective view of a dolly having two
supports hingedly joined together, each support having a
mounting mechanism thereon, the figure showing one sup-
port rotated substantially vertically with respect to the other
support;

FIG. 10 is a front view of the dolly shown in FIG. 9;

FIG. 11 is a top view of the dolly shown in FIG. 9;

FIG. 12 is a right-side view of the dolly shown in FIG. 9;

FIG. 13 is a left-side view of the dolly shown in FIG. 9;


FIG. 14 is a back view of the dolly shown in FIG. 9;

FIG. 15 is a bottom view of the dolly shown in FIG. 9; and,

FIGS. 16 and 17 are a back view and a bottom view,
respectively, of a dolly shown having a substantially flat
surface, the other views being the same as those of the dolly
shown in FIGS. 9-13.

The ornamental design which is claimed is shown in solid
lines in the drawings. Any broken lines in the drawings are
for illustrative purposes only and form no part of the claimed
design.

1 Claim, 11 Drawing Sheets



US D460,236 S

Page 2

U.S. PATENT DOCUMENTS			
4,313,612 A	2/1982	Rubens	280/79.1
5,033,759 A	7/1991	Wix	280/47.18
5,052,763 A	10/1991	Bertrand	
5,074,572 A	12/1991	Delmerico et al.	280/47.34
5,110,147 A	5/1992	Gershman	280/79.5
D333,200 S	* 2/1993	Berrian	D34/23
			* cited by examiner
5,184,836 A	2/1993	Andrews, Jr. et al.	280/79.5
5,556,118 A	9/1996	Kern et al.	280/47.16
5,704,625 A	1/1998	Presnell et al.	280/79.2
5,730,449 A	3/1998	Miles	280/32.6
6,095,348 A	8/2000	Karashima	211/175
D437,669 S	* 2/2001	Blason et al.	D34/23




FIG.1

FIG.2




FIG.3




FIG.4




FIG.5





FIG.6






FIG. 7





FIG. 8

FIG. 9






FIG. 10




FIG. 11





FIG. 12

FIG. 13






FIG. 14




FIG. 15




FIG. 16




FIG. 17