



US00D460381S

(12) **United States Design Patent**
Lai

(10) **Patent No.:** **US D460,381 S**

(45) **Date of Patent:** **** Jul. 16, 2002**

(54) **JEWELRY SETTING**

6,298,696 B2 * 10/2001 Lai 63/26

(75) Inventor: **Danny S. Lai**, New York, NY (US)

* cited by examiner

(73) Assignee: **Gramercy Jewelry Manufacturing Corp.**, New York, NY (US)

Primary Examiner—Louis S. Zarfaz

Assistant Examiner—Deanne Levy

(74) *Attorney, Agent, or Firm*—Baker Botts L.L.P.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/143,251**

The ornamental design of a jewelry setting, as shown and described.

(22) Filed: **Jun. 11, 2001**

DESCRIPTION

Related U.S. Application Data

(62) Division of application No. 29/127,556, filed on Aug. 7, 2000, now Pat. No. Des. 443,555.

(51) **LOC (7) Cl.** **11-01**

(52) **U.S. Cl.** **D11/92**

(58) **Field of Search** D11/1-2, 7-8,
D11/26-27, 30-34, 36, 40, 48, 75, 79,
89-92, 86; 63/12-15, 3, 4, 26-28, 29.1,
32

FIG. 1 is a perspective view of a first embodiment of a jewelry setting of my new design shown in a position of use in a ring;

FIG. 2 is a perspective view of the jewelry setting of FIG. 1 shown in a position of use in a pin;

FIG. 3 is a perspective view of a second embodiment of the jewelry setting of my new design shown in a position of use in a ring;

FIG. 4 is a perspective view of the jewelry setting of FIG. 3 shown in a position of use in a pin;

FIG. 5 is a perspective view of a third embodiment of the jewelry setting of my new design shown in a position of use in a ring;

FIG. 6 is a perspective view of the jewelry setting of FIG. 5 shown in a position of use in a pin;

FIG. 7 is a perspective view of a fourth embodiment of the jewelry setting of my new design shown in a position of use in a ring;

FIG. 8 is a perspective view of the jewelry setting of FIG. 7 shown in a position of use in a pin;

FIG. 9 is a perspective view of a fifth embodiment of the jewelry setting of my new design shown in a position of use in a ring; and,

FIG. 10 is a perspective view of the jewelry setting of FIG. 9 shown in a position of use in a pin.


The broken lines are provide for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D114,649 S	5/1939	Simon	
2,907,187 A	10/1959	Karp et al.	
5,123,265 A	6/1992	Ramot	
5,377,506 A	1/1995	Tranzer	
5,520,017 A	5/1996	Vivat	
D379,601 S	6/1997	Izkowitz	
D391,516 S	3/1998	Kothari	
5,848,539 A	12/1998	Ouzounian	
D403,611 S	1/1999	Lai	
D411,134 S	6/1999	Lai	
6,003,335 A	12/1999	Gurevich et al.	
6,026,660 A	2/2000	Lai	
D425,817 S	5/2000	Gurevich et al.	
D427,934 S	6/2000	Lai	
D440,177 S	* 4/2001	Gruosi D11/26
D443,554 S	* 6/2001	Lai D11/92

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10