



US00D460386S

(12) **United States Design Patent**  
**Kinoshita et al.**

(10) **Patent No.:** **US D460,386 S**

(45) **Date of Patent:** **\*\* Jul. 16, 2002**

(54) **SLIDER FOR BELT ADJUSTOR**

**FOREIGN PATENT DOCUMENTS**

(75) Inventors: **Yuko Kinoshita**, Kurobe (JP);  
**Yasutaka Nishida**, Macon, GA (US);  
**Ryoichiro Uehara**, Kurobe (JP)

JP 575169 7/1990

\* cited by examiner

(73) Assignee: **YKK Corporation**, Tokyo (JP)

*Primary Examiner*—Ralf Seifert

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson, Farabow, Garrett, & Dunner LLP

(21) Appl. No.: **29/139,886**

(22) Filed: **Apr. 9, 2001**

(57) **CLAIM**

The ornamental design for a slider for belt adjustor, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Oct. 10, 2000 (JP) ..... 2000-028448

FIG. 1 is a front view of a slider for a belt adjuster according to the present invention.

(51) **LOC (7) Cl.** ..... **02-07**

FIG. 2 is a rear view of the slider of FIG. 1.

(52) **U.S. Cl.** ..... **D11/221**

FIG. 3 is plan view of the slider of FIG. 1.

(58) **Field of Search** ..... D11/200-221;  
24/196, 616, 625, 650, 381, 385, 415-417,  
427-431; 70/456; 264/252

FIG. 4 is a base view of the slider of FIG. 1.

FIG. 5 is a left side view of the slider of FIG. 1.

FIG. 6 is a right side view of the slider of FIG. 1.

FIG. 7 is a cross-sectional view taken on line 7—7 of FIG. 1; and,

(56) **References Cited**


FIG. 8 is an explanatory view showing the slider of FIG. 1 in use.

**U.S. PATENT DOCUMENTS**

It being understood that the broken lines are for illustrative purposes only.

D362,741 S \* 10/1995 Hollinger ..... D11/200  
D444,100 S \* 6/2001 Kelleghan ..... D11/216

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8