US00D460407S

(12) United States Design Patent

Moore

(10) Patent No.: US D460,407 S
(45) Date of Patent: ** Jul. 16, 2002

(54) **TIRE TREAD**

(75) Inventor: **Ralston Horace Moore**, Fountain Inn, SC (US)

(73) Assignee: **Michelin Recherche et Technique S.A.** (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/146,785**

(22) Filed: **Aug. 15, 2001**

(51) **LOC (7) Cl.** **12-15**
(52) **U.S. Cl.** **D12/601**
(58) **Field of Search** D12/531, 579, D12/588, 594, 595, 600, 601, 605, 900, 901; 152/209.1, 209.12, 209.16, 209.17, 209.25, 523, 524

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,730,654	A	*	3/1988	Yamashita et al.	152/209.9
D370,439	S	*	6/1996	Feider et al.	D12/588
D380,995	S	*	7/1997	Grosskopf	D12/588
D385,235	S	*	10/1997	Young	D12/588
D390,510	S		2/1998	Stone et al.	D12/143
D394,029	S		5/1998	Gillard et al.	D12/141
5,909,756	A	*	6/1999	Miyazaki	152/209.18
D414,446	S	*	9/1999	Kemp, Jr. et al.	D12/588
D414,725	S	*	10/1999	Kemp, Jr. et al.	D12/588
D433,356	S	*	11/2000	Loeffler et al.	D12/601
D448,707	S	*	10/2001	Maziarka et al.	D12/601

OTHER PUBLICATIONS

GT Tire USA GTR 378 Tire, 200 Tread Design Guide, 1/200, p. 36. 2/5.*
Kelly–Springfield Aqua Tour Tire, 200 Tread Design Guide, 1/200, p. 41. 1/1.*
Multi–Mile Grand Spirit Radial MSR Tire, 200 Tread Design Guide, 1/200, p. 51. 2/1.*
Remington XT–120 HR 4 Tire, 200 Tread Design Guide, 1/200, p. 57. 4/3.*
Michelin XRV Tire, 200 Tread Design Guide, 1/200, p. 103. 1/1.*
Ohtsu RI–148 Tire, Modern Tire Dealer Magazine, Jun. 1999, p. 55.*
Tread Design Guide, 1999, p. 29, Falken SN–813.
Tread Design Guide, 1999, p. 54, National Y388.
Tread Design Guide, 1999, p. 129, Continental HS45.
Tread Design Guide, 2000, p. 134, Hankook F80.
Tread Design Guide, 1992, p. 73, Sumitomo HTR70.
Tread Design Guide, 1992, p. 166, Michelin Pilot XA.
Tread Design Guide, 1992, p. 176, Sumitomo ST727.

* cited by examiner

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—Martin Farrell; Robert R. Reed; Alan A. Csontos

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a wide tire tread showing my new design, it being understood that the tread pattern is repeated over the outer circumference and shoulder of the tire, the opposite side perspective view being identical thereto; and,

FIG. **2** is an enlarged fragmentary front elevation view of the tread pattern of FIG. **1** showing my new tread pattern for the tire tread.

The broken line disclosure of the tire sidewall and inner bead is for illustrative purposes only and forms no part of the claimed design. In the drawings, the dark stippled shading in the groove area of the tread surface represents the recessed portion of the tread grooves, having recesses best illustrated by the top and bottom boundaries of FIG. **2**.

1 Claim, 2 Drawing Sheets





Fig. 1



Fig. 2