



US00D460460S

(12) **United States Design Patent** (10) **Patent No.:** **US D460,460 S**  
**Kayukawa et al.** (45) **Date of Patent:** **\*\* Jul. 16, 2002**

(54) **COMPRESSOR FOR A VEHICLE AIR  
CONDITIONER**

(75) Inventors: **Hiroaki Kayukawa; Kenji Takenaka;  
Kazushige Murao; Takahiro  
Hamaoka**, all of Kariya (JP)

(73) Assignee: **Kabushiki Kaisha Toyoda Jidoshokki  
Seisakusho**, Kariya (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/124,356**

(22) Filed: **Jun. 5, 2000**

**Related U.S. Application Data**

(62) Division of application No. 29/081,322, filed on Dec. 30,  
1997, now Pat. No. Des. 429,738.

(30) **Foreign Application Priority Data**

|               |      |         |
|---------------|------|---------|
| Jul. 7, 1997  | (JP) | 9-60861 |
| Jul. 7, 1997  | (JP) | 9-60862 |
| Jul. 7, 1997  | (JP) | 9-60863 |
| Jul. 7, 1997  | (JP) | 9-60864 |
| Jul. 7, 1997  | (JP) | 9-60865 |
| Jul. 7, 1997  | (JP) | 9-60866 |
| Sep. 16, 1997 | (JP) | 9-68054 |

(51) **LOC (7) Cl.** ..... **15-02**

(52) **U.S. Cl.** ..... **D15/9**

(58) **Field of Search** ..... D15/5, 7-9; 417/222,  
417/231, 259, 265, 266, 268, 415, 234

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|          |   |   |         |                 |       |       |
|----------|---|---|---------|-----------------|-------|-------|
| D282,471 | S | * | 2/1986  | Bearint et al.  | ..... | D15/9 |
| D352,291 | S | * | 11/1994 | Ikeda et al.    | ..... | D15/7 |
| D353,145 | S | * | 12/1994 | Ikeda et al.    | ..... | D15/9 |
| D373,366 | S | * | 9/1996  | Wada et al.     | ..... | D15/9 |
| D381,340 | S |   | 7/1997  | Takenaka et al. |       |       |
| D381,993 | S |   | 8/1997  | Takenaka et al. |       |       |

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

(74) *Attorney, Agent, or Firm*—Morgan & Finnegan, LLP

(57) **CLAIM**

The ornamental design for a compressor for a vehicle air  
conditioner, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a compressor for a  
vehicle air conditioner;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a front perspective view thereof;

FIG. 8 is a rear perspective view therefor; and,

FIG. 9 is a partial perspective view showing a location for  
mounting the compressor of FIG. 1.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

