



US00D460485S

(12) **United States Design Patent** (10) **Patent No.:** **US D460,485 S**  
**Keda** (45) **Date of Patent:** **\*\* Jul. 16, 2002**

(54) **KNOCK-TYPE PAINTING IMPLEMENT**

(75) Inventor: **Tadashi Keda**, Kawagoe (JP)

(73) Assignee: **Kotobuki & Co., Ltd.**, Kyoto (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/149,805**

(22) Filed: **Oct. 18, 2001**

(51) **LOC (7) Cl.** ..... **19-06**

(52) **U.S. Cl.** ..... **D19/43; D19/35; D19/51;**  
D14/114

(58) **Field of Search** ..... D28/7, 85; D4/114;  
D19/35, 36, 41-51, 53-58, 81-85; 401/98,  
196, 202, 213, 135, 243-247, 261, 101,  
262, 268, 269-272, 192, 114, 288

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,143,712	A	*	1/1939	Rissman	.....	401/192
2,313,865	A	*	3/1943	Dworkin	.....	401/288
D175,548	S	*	9/1955	Kane	.....	D4/114
2,872,694	A	*	2/1959	Hopkins	.....	401/115
3,061,868	A	*	11/1962	Miller	.....	401/135
D199,216	S	*	9/1964	Chadbourn	.....	D19/36
3,195,169	A	*	7/1965	Chadbourn	.....	401/119
3,877,822	A	*	4/1975	LaMura	.....	401/101
D260,406	S	*	8/1981	Itoh	.....	D19/44
D299,973	S	*	2/1989	Campello et al.	.....	D28/7
D368,553	S	*	4/1996	Welschoff et al.	.....	D28/7
D369,384	S	*	4/1996	Yasoshima	.....	D19/36
D411,035	S	*	6/1999	Welschoff	.....	D28/85

\* cited by examiner

*Primary Examiner*—Martie K. Holtje

(74) *Attorney, Agent, or Firm*—McGinn & Gibb, PLLC

(57) **CLAIM**

The ornamental design for a knock-type painting implement, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a knock-type painting implement, according to the present invention;

FIG. 2 is a right side elevational view of the knock-type painting implement of FIG. 1, the left side elevational view being a mirror image of the right side elevational view;

FIG. 3 is a rear elevational view of the knock-type painting implement of FIG. 1;

FIG. 4 is a top plan view of the knock-type painting implement of FIG. 1;

FIG. 5 is a bottom plan view of the knock-type painting implement of FIG. 1;

FIG. 6 is a perspective view of the knock-type painting implement of FIG. 1;

FIG. 7 is a front elevational view of a knock-type painting implement in which the cap is taken off;

FIG. 8 is a right side elevational view of the knock-type painting implement of FIG. 7, the left side elevational view being a mirror image of the right side elevational view;

FIG. 9 is a rear elevational view of the knock-type painting implement of FIG. 7;

FIG. 10 is a top plan view of the knock-type painting implement of FIG. 7; and,

FIG. 11 is a bottom plan view of the knock-type painting implement of FIG. 7.

**1 Claim, 3 Drawing Sheets**




FIG. 2

FIG. 1

FIG. 3






FIG. 6




FIG. 4




FIG. 5




FIG. 10      FIG. 11



FIG. 8      FIG. 7      FIG. 9

