



US00D460563S

(12) **United States Design Patent** (10) **Patent No.:** **US D460,563 S**  
**Babka et al.** (45) **Date of Patent:** **\*\* Jul. 16, 2002**

(54) **DOOR SILL**

(75) Inventors: **Brian John Babka**, Hudson, WI (US);  
**Joseph Guy Reithmeyer**, Afton; **Todd William Bruchu**, Lake Elmo, both of MN (US)

(73) Assignee: **Andersen Corporation**, Bayport, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/144,663**

(22) Filed: **Jul. 6, 2001**

(51) **LOC (7) Cl.** ..... **25-02**

(52) **U.S. Cl.** ..... **D25/48**

(58) **Field of Search** ..... D25/48, 199; 49/475.1,  
49/467, 407, 411; 52/204.5

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

220,460 A 10/1879 York  
364,434 A 6/1887 Pitmon

(List continued on next page.)

**FOREIGN PATENT DOCUMENTS**

GB 1048101 11/1966

*Primary Examiner*—Doris Clark

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.A.

(57) **CLAIM**

The ornamental design for a door sill, as shown and described.

**DESCRIPTION**

A related design for a door sill is described in a co-pending U.S. Design Patent Application filed on the even date herewith, having Ser. No. 29/144,635, also titled Door Sill Design, that describes a door sill with a smaller width, and is assigned to the same assignee as the present application.

The content of this co-pending application is hereby incorporated herein by reference in its entirety. An door system that may incorporate the Door Sill Design described in the present application is described in a co-pending U.S. Utility Patent Application filed on the even date herewith, having Ser. No. 09/900,442, titled Adjustable Door With Sealed Threshold and Frame, assigned to the same assignee as the present application, which is hereby incorporated herein by reference in its entirety.

FIG. 1 is a perspective view of the top, side and front of a first embodiment of the new design.

FIG. 2 is a left side elevation view of a first embodiment of the new design. The right side elevation view of the first embodiment is a mirror image of the left side elevation view.

FIG. 3 is a front elevation view of a first embodiment of the new design.

FIG. 4 is a rear elevation view of a first embodiment of the new design.

FIG. 5 is a top plan view of a first embodiment of the new design.

FIG. 6 is a bottom plan view of a first embodiment of the new design.

FIG. 7 is a perspective view of the top, side and front of a second embodiment of the new design. In the second embodiment, no tread pattern is shown on the top, front portion of the door sill. In contrast, the first embodiment of the new design includes a tread pattern. In an alternative embodiment, tread patterns different to that shown in the first embodiment may be present on the door sill.

FIG. 8 is a left side elevation view of a second embodiment of the new design. The right side view of the second embodiment is a mirror image of the left side view.


FIG. 9 is a front elevation view of a second embodiment of the new design; and,

FIG. 10 is a top plan view of a second embodiment of the new design.

The rear elevation view and bottom plan view of the second embodiment of the new design are identical to the same views of the first embodiment shown in FIGS. 4 and 6, respectively.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



# US D460,563 S

Page 2

## U.S. PATENT DOCUMENTS

582,451 A	5/1897	Brannon	4,352,258 A	10/1982	Bursk et al.
1,795,853 A	3/1931	Glass	4,492,405 A	1/1985	Chikaraishi et al.
3,633,316 A	1/1972	Belser	4,496,186 A	1/1985	Tuchiya et al.
3,762,100 A	10/1973	Kempel	4,513,536 A	4/1985	Giguere
3,900,967 A	8/1975	Bursk et al.	4,549,761 A	10/1985	Lee et al.
3,967,412 A	7/1976	Governale	4,626,026 A	12/1986	Hasegawa
4,006,562 A	2/1977	Belanger et al.	4,628,639 A	12/1986	Lownsdale
4,047,751 A	9/1977	Koike	4,686,793 A	8/1987	Mills
4,055,917 A	11/1977	Coller	4,716,683 A	1/1988	Minter
4,060,272 A	11/1977	Mori	4,726,147 A	2/1988	Beske et al.
4,074,464 A	2/1978	McCay	4,807,923 A	2/1989	Nakamura
4,079,550 A *	3/1978	Bursk et al. .... 49/467	4,825,507 A	5/1989	Killingstad
4,224,766 A	9/1980	Procton	4,831,779 A	5/1989	Kehrli et al.
4,237,664 A	12/1980	Wilmes	4,919,471 A	4/1990	Seino et al.
4,255,902 A	3/1981	Ruff	D354,572 S *	1/1995	Headrick ..... D25/48
4,287,684 A	9/1981	McKann	6,122,864 A	9/2000	Martin
4,290,233 A	9/1981	Hubbard	6,138,413 A	10/2000	Fehr
4,310,991 A	1/1982	Seely	6,161,343 A	12/2000	Young

\* cited by examiner






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5





FIG. 6








FIG. 7






FIG. 8

FIG. 9




FIG. 10

