



US00D460664S

(12) **United States Design Patent**  
**King et al.**

(10) **Patent No.:** **US D460,664 S**

(45) **Date of Patent:** **\*\* Jul. 23, 2002**

(54) **CANISTER**

D378,566 S \* 3/1997 Cousins ..... D7/667  
D400,407 S \* 11/1998 Platte ..... D7/629

(75) Inventors: **Joseph King**, Wayzata; **Jonathan B. Hedlund**, Blaine, both of MN (US)

\* cited by examiner

(73) Assignee: **King Technology**, Hopkins, MN (US)

*Primary Examiner*—Terry A. Wallace

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Jacobson & Johnson

(21) Appl. No.: **29/156,590**

(57) **CLAIM**

(22) Filed: **Mar. 4, 2002**

The ornamental design for a canister, as shown.

**Related U.S. Application Data**

**DESCRIPTION**

(62) Division of application No. 29/139,226, filed on Mar. 28, 2001.

FIG. 1 is a perspective view of a canister, showing my design;

(51) **LOC (7) Cl.** ..... **07-01**

FIG. 2 is a top view of the canister of FIG. 1;

(52) **U.S. Cl.** ..... **D7/612**

FIG. 3 is a side view of the canister of FIG. 1 located at an angle of 60 degrees to the front view and is identical to views located at an angle of 180 degrees to the front view and 300 degrees to the front view;

(58) **Field of Search** ..... D7/612–615, 629, D7/538–548; 220/281, 662, 675, 780–783, 792–799, 805

FIG. 4 is a front view of the canister of FIG. 1; and,


(56) **References Cited**

FIG. 5 is a bottom view of the canister of FIG. 1.

**U.S. PATENT DOCUMENTS**

D353,080 S \* 12/1994 Cantereels ..... D7/667

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5