



US00D460678S

(12) **United States Design Patent**  
**Foster**

(10) **Patent No.:** **US D460,678 S**

(45) **Date of Patent:** **\*\* Jul. 23, 2002**

(54) **SET OF HANDLES FOR CABINET DOOR**

(75) Inventor: **Simon Foster**, Eastleigh (GB)

(73) Assignee: **APW Electronics Limited**, Eastleigh (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/132,197**

(22) Filed: **Nov. 3, 2000**

(30) **Foreign Application Priority Data**

May 4, 2000 (GB) ..... 2092633

(51) **LOC (7) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/331; D8/313; D8/302**

(58) **Field of Search** ..... **D8/330, 331, 336, D8/338, 300, 302, 313; 16/430; 292/336.3; 70/78**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D391,468 S \* 3/1998 Doxey et al. .... D8/313
- D402,529 S \* 12/1998 Husted ..... D8/313
- D422,976 S \* 4/2000 Su ..... D14/385

\* cited by examiner

*Primary Examiner*—Jennifer Rivard

(74) *Attorney, Agent, or Firm*—Stephen B. Salai, Esq.; Brian B. Shaw, Esq.; Harter, Secrest & Emery LLP

(57) **CLAIM**

The ornamental design for a set of handles for cabinet door, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a set of handles for cabinet door in accordance with my invention;  
 FIG. 2 is a front elevation thereof;  
 FIG. 3 is a rear elevation thereof;  
 FIG. 4 is a side elevation thereof;  
 FIG. 5 is opposite side elevation thereof;  
 FIG. 6 is a top plan view thereof;  
 FIG. 7 is a bottom plan view thereof;  
 FIG. 8 is perspective view thereof with a handle portion in an open position  
 FIG. 9 is a front perspective view of an additional embodiment thereof;  
 FIG. 10 is a front elevation of the embodiment of FIG. 9;  
 FIG. 11 is a rear elevation of the embodiment of FIG. 9;  
 FIG. 12 is a side elevation of the embodiment of FIG. 9;  
 FIG. 13 is opposite side elevation of the embodiment of FIG. 9;  
 FIG. 14 is a top plan view of the embodiment of FIG. 9;  
 FIG. 15 is a bottom plan view of the embodiment of FIG. 9;  
 and,  
 FIG. 16 is a perspective view of the embodiment of FIG. 9 with a handle portion in an open position.  
 The cabinet door handles are shown separately for convenience of illustration.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 5




FIG. 8




FIG. 3




FIG. 4




FIG. 7




FIG. 6




FIG. 9




FIG. 10




FIG. 13




FIG. 16




FIG. 11




FIG. 12




FIG. 14




FIG. 15

