



US00D460811S

(12) **United States Design Patent**
Moll

(10) **Patent No.:** **US D460,811 S**

(45) **Date of Patent:** **** *Jul. 23, 2002**

(54) **WATER CLOSET**

D443,052 S * 5/2001 McKeone et al. D23/313
D451,177 S * 11/2001 Scholpp D23/311

(75) Inventor: **Reiner Moll, Gmünd (DE)**

* cited by examiner

(73) Assignee: **Villeroy & Boch AG, Mettlach (DE)**

Primary Examiner—Louis S. Zarfaz

(*) Notice: This patent is subject to a terminal disclaimer.

Assistant Examiner—Robert A. Delehanty

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack, L.L.P.

(21) Appl. No.: **29/147,725**

(22) Filed: **Sep. 6, 2001**

(57) **CLAIM**

The ornamental design for a water closet, as shown.

(30) **Foreign Application Priority Data**

DESCRIPTION

Mar. 6, 2001 (XH) DM/055 434

FIG. 1 is a left, top, front perspective view of a water closet showing my new design with a seat in an up position and a lid in an open position;

(51) **LOC (7) Cl.** **23-02**

FIG. 2 is a left, top, front perspective view of the water closet with the seat in a down position and the lid in a closed position;

(52) **U.S. Cl.** **D23/301**

(58) **Field of Search** D23/270-272,
D23/295-301, 303, 309-313; 4/663, 667,
300, 300.3, 313, 420.2, 420.3, 443, 446,
217, 234, 237-239, 901-902, DIG. 15

FIG. 3 is a front elevational view of the water closet with the seat in the up position and the lid in the open position;

FIG. 4 is a left, top, front perspective view of the water closet with the seat in the down position and the lid in the open position;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D323,381 S * 1/1992 McKeone et al. D23/313
D323,551 S * 1/1992 Fait D23/301
D387,858 S * 12/1997 McKeone D23/301
D409,735 S * 5/1999 Svendsen D23/301
D422,065 S * 3/2000 Kawamura D23/301
D435,638 S * 12/2000 Merry et al. D23/311

FIG. 5 is a front elevational view of the water closet with the seat in the down position and the lid in the closed position; and,

FIG. 6 is a front elevational view of the water closet with the seat in the down position and the lid in the open position.

1 Claim, 6 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5



FIG. 6