



US00D461162S

(12) **United States Design Patent** (10) **Patent No.:** **US D461,162 S**
Young et al. (45) **Date of Patent:** **** Aug. 6, 2002**

(54) **TIRE TREAD**

(75) Inventors: **Austin Gale Young**, Copley; **Pedro Yap**, Stow, both of OH (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/146,432**

(22) Filed: **Aug. 9, 2001**

(51) **LOC (7) Cl.** **12-15**

(52) **U.S. Cl.** **D12/595; D12/900**

(58) **Field of Search** D12/531, 579, D12/588, 594, 595, 600, 601, 605, 900, 901; 152/209.1, 209.12, 209.16, 209.17, 209.25, 523, 524

6,050,313 A 4/2000 Tsuda 152/209.18
6,102,093 A 8/2000 Nakagawa 152/209.2
6,116,309 A 9/2000 Gillard et al. 152/209.14
D433,356 S * 11/2000 Loeffler et al. D12/601
D448,707 S * 10/2001 Maziarka et al. D12/601

OTHER PUBLICATIONS

GT Tire USA GTR 378 Tire, 200 Tread Design Guide, 1/200, p. 36. 2/5.*
Kelly-Springfield Aqua Tour Tire, 200 Tread Design Guide, 1/200, p. 41. 1/1.*
Multi-Mile Grand Spirit Radial MSR Tire, 200 Tread Design Guide, 1/200, p. 51. 2/1.*
Remington XT-120 HR 4 Tire, 200 Tread Design Guide, 1/200, p. 57. 4/3.*
Michelin XRV Tire, 200 Tread Design Guide, 1/200, p. 103. 1/1.*
Ohtsu RI-148 Tire, Modern Tire Dealer Magazine, Jun. 1999, p. 55.*

* cited by examiner

Primary Examiner—Robert M. Spear
(74) *Attorney, Agent, or Firm*—David L. King

(56) **References Cited**
U.S. PATENT DOCUMENTS

4,298,046 A 11/1981 Herbelleau et al. 152/209 R
4,635,694 A 1/1987 Hosokawa 152/209 A
4,730,654 A * 3/1988 Yamashita et al. 152/209.9
4,878,526 A 11/1989 Ochiai 152/209 R
D311,887 S 11/1990 Adam D12/147
D314,363 S 2/1991 Adam D12/147
5,031,680 A 7/1991 Kajikawa et al. 152/209 R
5,178,699 A 1/1993 Kakumu et al. 152/209 R
D355,151 S 2/1995 Hagmaier D12/146
D360,859 S 8/1995 Attinello et al. D12/147
5,567,253 A 10/1996 Iwamura 152/209 R
D380,995 S * 7/1997 Grosskopf D12/588
D384,919 S 10/1997 Hermann D12/146
D385,235 S * 10/1997 Young D12/588
D390,510 S 2/1998 Stone et al. D12/143
D397,647 S 9/1998 Young D12/146
5,814,169 A 9/1998 Yamaguchi et al. 152/209 R
D402,943 S 12/1998 Albert et al. D12/147
5,909,756 A * 6/1999 Miyazaki 152/209.18
D414,446 S * 9/1999 Kemp, Jr. et al. D12/588
D414,725 S * 10/1999 Kemp, Jr. et al. D12/588


(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary perspective view.
In the drawings, the broken lines defining the sidewall and inner bead of the tire and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4