



US00D461165S

(12) **United States Design Patent**  
**Eyman**

(10) **Patent No.:** **US D461,165 S**

(45) **Date of Patent:** **\*\* Aug. 6, 2002**

(54) **GEOGRAPHIC ADAPTOR ELECTRIC PLUG**

(75) Inventor: **David W. Eyman**, Cincinnati, OH (US)

(73) Assignee: **E & B Giftware LLC**, Yonkers, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/140,159**

(22) Filed: **Apr. 13, 2001**

(51) **LOC (7) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/137.1**

(58) **Field of Search** ..... D13/137.1-137.4,  
D13/138.1, 138.2, 139.1-139.8, 154-155,  
173, 184; 174/53, 66, 67; 361/42, 641,  
658; 439/135, 136, 137, 140, 141, 152,  
160, 164, 172, 446, 477, 484, 521, 528,  
535, 536, 650, 651, 652, 692-695, 736

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,085,996	A	*	4/1978	Koslo	.....	439/105
4,293,172	A	*	10/1981	Lingaraju	.....	439/105
4,736,177	A	*	4/1988	Vollmer et al.	.....	439/651
4,861,286	A	*	8/1989	Fosnaugh	.....	439/651
5,171,155	A	*	12/1992	Mendoza	.....	439/134
6,042,425	A	*	3/2000	Moller et al.	.....	439/638
6,302,717	B1	*	10/2001	Cheung	.....	439/172

\* cited by examiner

*Primary Examiner*—Robert M. Spear  
(74) *Attorney, Agent, or Firm*—Stanley J. Yavner

(57) **CLAIM**

The ornamental design for a geographic adaptor electric plug, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, left side and front isometric view of a geographic adaptor electric plug showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a top, right side and rear isometric view of a geographic adaptor electric plug showing my new design, and illustrating the male plugs and prong suitable for United Kingdom usage in a position extending from the rear of the design; FIG. 8 is an isometric view similar to that of FIG. 7, but with male plugs suitable for North American usage in an extended position; FIG. 9 is an isometric view similar to that of FIG. 8, but with the extended plugs of FIG. 8 angularly oriented, suitable for usage in Australia and New Zealand; and, FIG. 10 is an isometric view similar to that of FIG. 7, but with plugs and a plug base extending from the bottom portion of the rear thereof, suitable for usage in Europe.

**1 Claim, 4 Drawing Sheets**




FIG. 1





FIG. 2

FIG. 3




FIG. 4




FIG. 5







FIG. 6



*FIG. 7*



*FIG. 8*




FIG. 9




FIG. 10