



US00D461180S

(12) **United States Design Patent**
Van Egmond et al.

(10) **Patent No.:** **US D461,180 S**

(45) **Date of Patent:** **** Aug. 6, 2002**

(54) **NETWORK COMMUNICATION HOUSING**

(75) Inventors: **Robert L. Van Egmond; Shawn S. McEuen**, both of Hillsboro; **Gary L. Bookhardt**, Beaverton; **Marc A. Abrams**, Portland; **Neil C. Delaplane**, Tigard; **Brad T. Combs**, Portland; **Josh Gordon**, Portland; **Ryan Wilday**, Portland, all of OR (US)

(73) Assignee: **Intel Corporation**, Santa Clara, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/148,790**

(22) Filed: **Sep. 28, 2001**

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/240**

(58) **Field of Search** D14/137, 240, D14/138, 242, 308, 356, 357, 358, 311, 313, 441, 144, 348-355, 370, 341-347, 125, 432, 433, 155, 299, 257, 439, 140, 188, 230, 241, 243, 245; 379/433.01-433.13, 419, 434, 428.01-428.04, 420.01-420.04, 440, 441, 442; 455/550-575, 90; D13/184, 123, 152, 147, 110

(56) **References Cited**

U.S. PATENT DOCUMENTS

D263,957 S	*	4/1982	Pemberton	D14/356
D339,808 S	*	9/1993	Khoo et al.	D14/251
D348,054 S	*	6/1994	Minasian et al.	D14/425
D351,601 S	*	10/1994	Rak	D14/242
D362,003 S	*	9/1995	Claudio	D14/240
D363,722 S	*	10/1995	Aldridge et al.	D14/242
D372,474 S	*	8/1996	Ford et al.	D14/149
D375,297 S	*	11/1996	Casarez et al.	D14/358
D387,347 S	*	12/1997	McGugan	D14/149

D393,463 S	*	4/1998	Beaumont et al.	D14/149
5,761,612 A	*	6/1998	Read	455/90
D398,907 S	*	9/1998	Yurkonis et al.	D14/351
D406,145 S	*	2/1999	Radakovic	D14/242
D415,769 S	*	10/1999	Waldner	D14/240
D423,513 S	*	4/2000	McKinnon et al.	D14/240
D424,028 S	*	5/2000	Vaiani	D13/184
D425,021 S	*	5/2000	Ko	D13/123
D425,517 S	*	5/2000	Wheatley et al.	D14/240
D426,811 S	*	6/2000	White et al.	D13/147
D429,238 S	*	8/2000	Kolinen	D14/240
D438,197 S	*	2/2001	Arpe	D14/240
D438,532 S	*	3/2001	Gargani et al.	D14/240

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Fish & Richardson, PC

(57) **CLAIM**

The ornamental design for a network communication housing, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the network communication housing of this invention.

FIG. 2 is a left-side elevational view of the network communication housing of FIG. 1.

FIG. 3 is a right-side elevational view of the network communication housing of FIG. 1.

FIG. 4 is a top view of the network communication housing of FIG. 1.


FIG. 5 is bottom view of the network communication housing of FIG. 1.

FIG. 6 is a front view of the network communication housing of FIG. 1.

FIG. 7 is a rear view of the network communication housing of FIG. 1; and,

FIG. 8 is an isometric view of the network communication housing of FIG. 1 in an open configuration.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8