



US00D461394S

(12) **United States Design Patent**
Bergnach et al.

(10) **Patent No.:** **US D461,394 S**

(45) **Date of Patent:** **** Aug. 13, 2002**

(54) **STEEL COIL SIDEWALL GUARD**

(75) Inventors: **Mark Bergnach**, 6 Tumblebrook Ct., Burr Ridge, IL (US) 60521; **Daniel Spillard**, Dearborn Heights, MI (US)

(73) Assignee: **Mark Bergnach**, Willowbrook, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/132,716**

(22) Filed: **Nov. 14, 2000**

(51) **LOC (7) Cl.** **08-08**

(52) **U.S. Cl.** **D8/354**

(58) **Field of Search** D8/349, 354, 358; 248/682, 309.1; 242/595, 597

(56) **References Cited**

U.S. PATENT DOCUMENTS

D371,506 S	*	7/1996	Nofziger	D8/354
D431,770 S	*	10/2000	Willet	D8/354
D443,810 S	*	6/2001	Ausilio	D8/354

* cited by examiner

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Greer, Burns & Crain, Ltd.

(57) **CLAIM**

The ornamental design for a steel coil sidewall guard, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the foldable steel coil sidewall guard, having its rectangular top folded at 90°, and engaging the top of a steel coil, and its perforate front positioned against the sides of the steel coil.

FIG. 2 is a top plan view of the steel coil sidewall guard, as shown in FIG. 1.

FIG. 3 is a front view of the steel coil sidewall guard of FIG. 2.

FIG. 4 is a side view of the steel coil sidewall guard of FIG. 2.

FIG. 5 is a front view of the steel coil sidewall guard corresponding to FIG. 3, with the rectangular top being shown in its open position; and,

FIG. 6 is a perspective view of the steel coil sidewall guard, having its rectangular top folded at 90°, and engaging the top of a steel coil, and its perforate front being folded inwardly and being positioned against the sides of a steel coil.

1 Claim, 2 Drawing Sheets




FIG. 1





FIG. 4

FIG. 2




FIG. 3




FIG. 5




FIG. 6

