



US00D461671S

(12) **United States Design Patent**
Lewis et al.

(10) **Patent No.:** **US D461,671 S**

(45) **Date of Patent:** **** Aug. 20, 2002**

(54) **VISCOUS LIQUID DISPENSER**

(75) Inventors: **Richard P. Lewis**, Marietta; **Stephen L. Phelps**, Lilburn; **John A. Clement**, Alpharetta; **D. Scott Rowley**, Powder Springs; **Victoria L. Brackney**, Atlanta; **Gary E. Torkington**, Lawrenceville, all of GA (US); **Gary S. Pasternak**, Brantford (CA)

(73) Assignee: **Kimberly-Clark Worldwide, Inc.**, Neenah, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/141,127**

(22) Filed: **Apr. 30, 2001**

(51) **LOC (7) Cl.** **23-02**

(52) **U.S. Cl.** **D6/545**

(58) **Field of Search** D6/542-545; 222/92, 222/105, 173, 180, 187.1, 181.3; 221/282-283; 206/77.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-------------|-----------|--------------------|--------|
| 4,573,612 A | 3/1986 | Maddison et al. | |
| D293,402 S | 12/1987 | Petterson | |
| D312,184 S | 11/1990 | De Luca et al. | |
| D322,377 S | 12/1991 | Fender | |
| D338,585 S | * 8/1993 | Bell et al. | D6/545 |
| D340,823 S | 11/1993 | Bunschoten et al. | |
| 5,265,772 A | 11/1993 | Bartasevich et al. | |
| D343,751 S | 2/1994 | Bell et al. | |
| D345,664 S | 4/1994 | Brandenburg | |
| D345,877 S | 4/1994 | Brandenburg | |
| D350,249 S | 9/1994 | Rhodenbaugh | |
| D358,288 S | * 5/1995 | Daansen | D6/545 |
| 5,443,236 A | 8/1995 | Bell et al. | |
| 5,464,125 A | 11/1995 | Daansen | |
| D372,824 S | * 8/1996 | Lin et al. | D6/545 |
| D379,728 S | 6/1997 | Simon | |
| D385,139 S | * 10/1997 | Mervar et al. | D6/545 |
| D386,027 S | 11/1997 | Cameron et al. | |

| | | | |
|------------|----------|--------------------|--------|
| D386,344 S | 11/1997 | Brandenburg et al. | |
| D387,931 S | 12/1997 | Chen | |
| D388,990 S | 1/1998 | Brandenburg et al. | |
| D390,396 S | 2/1998 | Sanborn | |
| D391,431 S | 3/1998 | Brandenburg et al. | |
| D392,136 S | * 3/1998 | Ross et al. | D6/542 |
| D392,137 S | 3/1998 | Vignot | |
| D396,588 S | 8/1998 | Mack et al. | |
| D401,093 S | 11/1998 | Arbak et al. | |
| D405,998 S | 2/1999 | Feigenbaum | |
| D406,977 S | * 3/1999 | Chen | D6/545 |
| D414,639 S | 10/1999 | Ludbrook et al. | |
| D416,417 S | 11/1999 | Ross et al. | |
| D418,344 S | 1/2000 | De Winter | |
| D426,094 S | 6/2000 | Carlson | |
| D429,931 S | 8/2000 | Conran et al. | |
| D429,932 S | 8/2000 | Conran et al. | |
| D431,404 S | 10/2000 | Brazis et al. | |

* cited by examiner

Primary Examiner—Brian N. Vinson

(74) *Attorney, Agent, or Firm*—Dority & Manning

(57) **CLAIM**

The ornamental design for a viscous liquid dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the embodiment of the new dispenser design according to the invention.

FIG. 2 is a front view of the embodiment depicted in FIG. 1.

FIG. 3 is a right side view of the embodiment depicted in FIG. 1.

FIG. 4 is a left side view of the embodiment depicted in FIG. 1.


FIG. 5 is a top view of the embodiment depicted in FIG. 1.

FIG. 6 is a bottom view of the embodiment depicted in FIG. 1; and,

FIG. 7 is a back view of the embodiment depicted in FIG. 1.

The broken-line disclosure in the views is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7