



US00D461731S

(12) **United States Design Patent** (10) **Patent No.:** **US D461,731 S**
Tse (45) **Date of Patent:** **** Aug. 20, 2002**

(54) **PALM BASED PHOTODIODE INSTRUMENTATION**

(76) Inventor: **Ming-Kai Tse**, 4 Flintlock Rd.,
Lexington, MA (US) 02420

(**) Term: **14 Years**

(21) Appl. No.: **29/148,876**

(22) Filed: **Sep. 28, 2001**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/81; D10/78**

(58) **Field of Search** **D10/78, 81; 356/39,**
356/40, 435, 73; 600/310, 315, 322

(56) **References Cited**

U.S. PATENT DOCUMENTS

D334,065 S	*	3/1993	Collister	D10/81 X
5,815,254 A	*	9/1998	Greene	356/73
5,933,226 A	*	8/1999	Yamanishi	356/39
D449,549 S	*	10/2001	Hoelbl	D10/81

* cited by examiner

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Weingarten, Schurgin,
Gagnebin & Lebovici LLP


(57) **CLAIM**

The ornamental design for a palm based photodiode instrumentation, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a unit according to the invention;
FIG. 2 is a top view of the design of the invention;
FIG. 3 is a first side elevation view of the design of the invention;
FIG. 4 is a back elevation view of the design of the invention;
FIG. 5 is front elevation view of the design according to the invention;
FIG. 6 is a second side elevation view of the design according to the invention; and,
FIG. 7 is a bottom view of the design according to the invention.

1 Claim, 6 Drawing Sheets






FIG. 1

FIG. 2





FIG. 3






FIG. 4




FIG. 5

FIG. 6




FIG. 7

