



US00D461811S

(12) **United States Design Patent**
Alsiö

(10) **Patent No.:** **US D461,811 S**

(45) **Date of Patent:** **** Aug. 20, 2002**

(54) **DATA INPUT DEVICE**

(76) Inventor: **Gunilla Alsiö**, P.O. Box 47170, SE-100
74 Stockholm (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/152,279**

(22) Filed: **Dec. 17, 2001**

(51) **LOC (7) Cl.** **14-02**

(52) **U.S. Cl.** **D14/408; D14/402**

(58) **Field of Search** D14/402-410,
D14/417; 345/156-167; 200/5 R, 5 A, 6 R,
6 A; 273/148 B; 74/471 XY; 463/36, 37,
38

(56) **References Cited**

U.S. PATENT DOCUMENTS

D445,794 S * 7/2001 Johnston D14/408
D454,568 S * 3/2002 Andre et al. D14/408

* cited by examiner

Primary Examiner—Kay H. Chin

(74) *Attorney, Agent, or Firm*—Fasth Law Offices; Rolf
Fasth


(57) **CLAIM**

The ornamental design for a data input device, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of the data input device of the
present invention;
FIG. 2 is an elevational top view of the data input device
shown in FIG. 1;
FIG. 3 is an elevational front view of the data input device
shown in FIG. 2;
FIG. 4 is an elevational bottom view of the data input device
shown in FIG. 2;
FIG. 5 is an elevational rear view of the data input device
shown in FIG. 2;
FIG. 6 is a left side view of the data input device shown in
FIG. 2; and,
FIG. 7 is a right side view of the data input device shown in
FIG. 2.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

