



US00D461835S

(12) **United States Design Patent**
Onodera

(10) **Patent No.:** **US D461,835 S**

(45) **Date of Patent:** **** Aug. 20, 2002**

(54) **EYEGLOSS BRIDGE STRUCTURE**

D329,446 S * 9/1992 Negishi D16/332
6,334,679 B2 * 1/2002 Masunaga 351/124

(75) Inventor: **Masaaki Onodera**, Setagaya-ku (JP)

* cited by examiner

(73) Assignee: **Nikon Corporation**, Tokyo (JP)

Primary Examiner—Raphael Barkai

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Oliff & Berridge, PLC

(21) Appl. No.: **29/141,069**

(57) **CLAIM**

(22) Filed: **May 1, 2001**

The ornamental design for eyeglass bridge structure, as shown.

(30) **Foreign Application Priority Data**

DESCRIPTION

Dec. 21, 2000 (JP) 2000-036530

(51) **LOC (7) Cl.** **16-06**

(52) **U.S. Cl.** **D16/332; D16/327**

(58) **Field of Search** D16/300–330,
D16/332, 333; 351/41, 44, 51, 52, 67, 87,
124–136, 158; 2/445

FIG. 1 is a front perspective view of eyeglass bridge structure showing my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a left side elevation view thereof; and,
FIG. 7 is a right side elevation view thereof.

(56) **References Cited**

The broken lines, which define the bounds of the claimed design, form no part thereof.

U.S. PATENT DOCUMENTS

The broken line environmental showing is for illustrative purposes only and forms no part of the claimed design.

- 1,636,339 A * 7/1927 Welsh 351/131
- 2,300,364 A * 10/1942 Wagner
- D263,479 S * 3/1982 Van Exel et al.
- D280,909 S * 10/1985 Engelhardt

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7

