



US00D461835S

(12) **United States Design Patent**  
**Onodera**

(10) **Patent No.:** **US D461,835 S**

(45) **Date of Patent:** **\*\* Aug. 20, 2002**

(54) **EYEGLASS BRIDGE STRUCTURE**

D329,446 S \* 9/1992 Negishi ..... D16/332  
6,334,679 B2 \* 1/2002 Masunaga ..... 351/124

(75) Inventor: **Masaaki Onodera**, Setagaya-ku (JP)

\* cited by examiner

(73) Assignee: **Nikon Corporation**, Tokyo (JP)

*Primary Examiner*—Raphael Barkai

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Oliff & Berridge, PLC

(21) Appl. No.: **29/141,069**

(57) **CLAIM**

(22) Filed: **May 1, 2001**

The ornamental design for eyeglass bridge structure, as shown.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Dec. 21, 2000 (JP) ..... 2000-036530

(51) **LOC (7) Cl.** ..... **16-06**

(52) **U.S. Cl.** ..... **D16/332; D16/327**

(58) **Field of Search** ..... D16/300–330,  
D16/332, 333; 351/41, 44, 51, 52, 67, 87,  
124–136, 158; 2/445

FIG. 1 is a front perspective view of eyeglass bridge structure showing my new design;  
FIG. 2 is a front elevation view thereof;  
FIG. 3 is a rear elevation view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a left side elevation view thereof; and,  
FIG. 7 is a right side elevation view thereof.

(56) **References Cited**

The broken lines, which define the bounds of the claimed design, form no part thereof.

**U.S. PATENT DOCUMENTS**

The broken line environmental showing is for illustrative purposes only and forms no part of the claimed design.

- 1,636,339 A \* 7/1927 Welsh ..... 351/131
- 2,300,364 A \* 10/1942 Wagner
- D263,479 S \* 3/1982 Van Exel et al.
- D280,909 S \* 10/1985 Engelhardt

**1 Claim, 5 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7

