

(12) United States Design Patent (10) Patent No.: US D461,845 S Ishida et al. (45) Date of Patent: ** Aug. 20, 2002

- (54) EDUCATIONAL ILLUSTRATION MACHINE
- (75) Inventors: Nobuaki Ishida; Wakana Yamana, both of Tokyo (JP)
- (73) Assignee: Sega Toys, Ltd., Tokyo (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: 29/148,307

D419,190 S * 1/2000 Mak D19/52 6,164,976 A * 12/2000 Wilson 434/414

* cited by examiner

Primary Examiner—Martie K. Holtje (74) Attorney, Agent, or Firm—SAIDMAN DesignLaw Group

(57) **CLAIM**

The ornamental design for an educational illustration machine, as shown and described.

(22) Filed: Sep. 17, 2001

(30) Foreign Application Priority Data

Mar. 17, 2001 (JP) 2001-011597

- (51) LOC (7) Cl. 19-06
- (52) U.S. Cl. D19/52; D19/35; D21/469
- (58) **Field of Search** D19/35, 36, 52, D19/65, 78, 81–85; D21/398; 434/81, 84, 85, 87, 88, 90, 91, 98, 408–410, 414, 415, 416, 422, 347

(56) **References Cited**

U.S. PATENT DOCUMENTS

| D359,984 | S | * | 7/1995 | Mak D19/52 |
|-----------|---|---|---------|-----------------------------|
| D388,826 | S | * | 1/1998 | Jones-Fenleigh et al D19/59 |
| 5,741,561 | A | * | 4/1998 | Lenkin 434/347 X |
| 5,820,385 | Α | * | 10/1998 | Ohashi et al 434/409 |

DESCRIPTION

FIG. 1 is a front view of an educational illustration machine showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a top view thereof, showing our design with the display panel in an open position;
FIG. 8 is a right side view thereof, showing our design with the display panel in a closed position, our design being supported in a standing position by a hinged leg; and,
FIG. 9 is a view similar to FIG. 8 but with the display panel shown in an open position.

1 Claim, 4 Drawing Sheets



U.S. Patent Aug. 20, 2002 Sheet 1 of 4 US D461,845 S

FIG.1





U.S. Patent US D461,845 S Aug. 20, 2002 Sheet 2 of 4

FIG.3













U.S. Patent Aug. 20, 2002 Sheet 3 of 4 US D461,845 S



U.S. Patent Aug. 20, 2002 Sheet 4 of 4 US D461,845 S

FIG.8



