



US00D461975S

(12) **United States Design Patent**
Zellars et al.

(10) **Patent No.:** **US D461,975 S**

(45) **Date of Patent:** **** Aug. 27, 2002**

(54) **LOCKER**

(76) Inventors: **Franklin K Zellars; Darrell Reddick;**
Quantrel Mc Clary, all of P.O. Box
993, Pendleton, SC (US) 29670

(**) Term: **14 Years**

(21) Appl. No.: **29/148,814**

(22) Filed: **Sep. 27, 2001**

(51) **LOC (7) Cl.** **06-04**

(52) **U.S. Cl.** **D6/470; D6/445**

(58) **Field of Search** D6/449, 455, 457,
D6/466, 470, 471, 472, 475, 445; 312/107,
114, 117, 138.1, 204, 234, 329, 257.1,
199, 263

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,447,099 A * 5/1984 French 312/138.1 X
- 4,779,742 A 10/1988 Starkweather et al.
- 5,039,179 A 8/1991 Chouzenoux
- 5,135,293 A 8/1992 St Germain et al.
- 5,219,386 A 6/1993 Kletzmaier et al.

- 5,299,862 A 4/1994 Rankine
- D361,446 S 8/1995 Acard
- D403,535 S * 1/1999 Wilbert D6/470
- 5,951,126 A * 9/1999 Wolff et al. 312/263 X
- D446,970 S * 8/2001 Ferrada D6/470

* cited by examiner

Primary Examiner—Cathron C. Brooks


(57) **CLAIM**

The ornamental design for a locker, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of the locker of the present invention;
 FIG. 2 is a back elevational view of the locker of FIG. 1;
 FIG. 3 is a left side elevational view of the locker of FIG. 1;
 FIG. 4 is a right side elevational view of the locker of FIG. 1;
 FIG. 5 is a top plan view of the locker of FIG. 1;
 FIG. 6 is a bottom plan view of the locker of FIG. 1; and,
 FIG. 7 is a top, front, right side perspective view of the locker of FIG. 1.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7