



US00D462122S

(12) **United States Design Patent**
Hutcheson et al.

(10) **Patent No.:** **US D462,122 S**

(45) **Date of Patent:** **** Aug. 27, 2002**

(54) **SATSECONDS INDICATOR FOR A PULSE
OXIMETER DISPLAY PANEL**

(75) Inventors: **Claude Hutcheson**, San Ramon; **Daryl
Bordon**, Pleasanton, both of CA (US)

(73) Assignee: **Nellcor Puritan Bennett Incorporated**,
Pleasanton, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/140,075**

(22) Filed: **Apr. 10, 2001**

(51) **LOC (7) Cl.** **24-01**

(52) **U.S. Cl.** **D24/169**

(58) **Field of Search** D24/169, 167,
D24/165; 600/323, 322, 300, 301

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,968,137 A * 11/1990 Yount 356/41
6,266,546 B1 * 7/2001 Steuer et al. 600/322
6,325,978 B1 * 12/2001 Labuda et al. 422/84

OTHER PUBLICATIONS

Nellcor N-595, Pulse oximeter display panel graphic, Aug.
31, 2000.

* cited by examiner

Primary Examiner—Stella Reid

(74) *Attorney, Agent, or Firm*—Townsend & Townsend &
Crew LLP


(57) **CLAIM**

The ornamental design for satseconds indicator for a pulse
oximeter display panel, as shown and described.

DESCRIPTION

FIG. 1 is a face of a satseconds indicator for a pulse oximeter
display panel showing our new design;
FIG. 2 is a face view of a second embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 3 is a face view of a third embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 4 is a face view of a fourth embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 5 is a face view of a fifth embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 6 is a face view of a sixth embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 7 is a face view of a seventh embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 8 is a face view of an eighth embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 9 is a face view of a ninth embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 10 is a face view of a tenth embodiment thereof, the
indicator is shown separately for ease of illustration;
FIG. 11 is a face view of an eleventh embodiment thereof,
the indicator is shown separately for ease of illustration; and
FIG. 12 is a face view of a twelfth embodiment thereof, the
indicator is shown separately for ease of illustration; and,
FIG. 13 is a face view of a thirteenth embodiment thereof,
the indicator is shown separately for ease of illustration.
Phantom lining, where utilized, is for illustrative purposes
only, and is not intended to limit the claimed indicator
design to the features shown in phantom.

1 Claim, 3 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.




FIG. 10.




FIG. 11.




FIG. 12.




FIG. 13.