



US00D462168S

(12)

United States Design Patent

Klemmensen et al.

(10)

Patent No.:

US D462,168 S

(45)

Date of Patent:

** Sep. 3, 2002

(54) TOOL CARRIER

(75) Inventors: Ramon L. Klemmensen, Cedar Falls; Michael E. Hay, Dysart; Fred P. Ritchie, Cedar Falls; Steven F. Kohagen, Waverly, all of IA (US)

(73) Assignee: Waterloo Industries, Inc., Waterloo, IA (US)

(**) Term: 14 Years

(21) Appl. No.: 29/141,269

(22) Filed: May 2, 2001

(51) LOC (7) Cl. 03-01

(52) U.S. Cl. D3/279; D3/281; D3/276; D3/905

(58) Field of Search D3/273, 276, 274, D3/281, 282, 294, 905; 190/18 A; 206/349, 372, 373

(56)References Cited

U.S. PATENT DOCUMENTS

2,941,637 A	6/1960	Silverman	
2,983,402 A	5/1961	Gottsegen	
3,155,270 A	11/1964	Taft	
3,392,874 A	7/1968	Peebles	
3,463,353 A	8/1969	Peebles	
D216,757 S	3/1970	De Pierro et al.	
3,586,205 A	6/1971	Van Daalen	
3,606,511 A	9/1971	Henning et al.	
3,628,843 A	12/1971	Wynne et al.	
4,029,209 A	6/1977	Frahm et al.	206/510
D262,839 S	2/1982	Daenen et al.	
D264,896 S	6/1982	Perkins	
4,353,182 A	10/1982	Juneas et al.	
4,366,998 A	1/1983	Kaiser	
4,416,372 A	11/1983	Polk	206/372
4,460,085 A	7/1984	Jantzen	206/349
4,550,828 A	11/1985	Baldwin et al.	206/349
4,619,363 A	10/1986	Wolfseder	206/373
4,662,515 A	5/1987	Newby, Sr.	206/349
4,714,158 A	12/1987	Oltman et al.	206/349
4,895,256 A	1/1990	Johnston	427/39
D309,519 S	7/1990	Remler	
5,011,013 A	4/1991	Meisner et al.	206/373

D318,568 S	7/1991	Hakansson	
D319,016 S	8/1991	Kahl	D9/424
D319,074 S	8/1991	Robinson	D19/75
5,040,681 A	8/1991	Grusin	206/503
D326,815 S	6/1992	Meisner et al.	D9/424
D326,945 S	6/1992	Howitt	D34/40
5,184,836 A	2/1993	Andrews, Jr. et al.	280/79.5
D333,783 S	3/1993	Perugini	D9/424
5,305,544 A	4/1994	Testa, Jr.	
D355,849 S	2/1995	Trower et al.	D9/424
5,518,139 A	5/1996	Trower et al.	220/522
5,575,401 A	11/1996	Trower et al.	220/522
5,882,097 A	3/1999	Kohagen et al.	312/235.1
D411,351 S	6/1999	Kohagen et al.	D3/281
5,988,658 A	11/1999	Ritchie et al.	280/47.26
D423,817 S	5/2000	Holcomb et al.	D6/445
D423,818 S	5/2000	Holcomb et al.	D6/445
D427,807 S	7/2000	Holcomb et al.	D6/445
D437,484 S	* 2/2001	Tiramani et al.	D3/279
D441,954 S	* 5/2001	Parker	D3/279

* cited by examiner

Primary Examiner—Philip S. Hyder

(74) Attorney, Agent, or Firm—Banner & Witcoff, Ltd.

(57)CLAIM

The ornamental design for a tool carrier, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the tool carrier embodying the design;

FIG. 2 is a top plan view of the tool carrier of FIG. 1;

FIG. 3 is a front side elevation of the tool carrier of FIG. 1;

FIG. 4 is an end view of the tool carrier of FIG. 1;


FIG. 5 is a backside elevation view of the tool carrier of FIG. 1;

FIG. 6 is a bottom plan view of the tool carrier of FIG. 1;

FIG. 7 is an exploded isometric view of the tool carrier of FIG. 1 wherein the internal components are shown in phantom and revealing the top and container portion of the carrier which form a part of the design; and,

FIG. 8 is an isometric view of the tool carrier of FIG. 1 as viewed from the backside wherein the telescoping handle has been extended therefrom.

1 Claim, 6 Drawing Sheets






FIG.1

FIG. 2





FIG. 3

FIG. 4





FIG. 5






FIG.6

FIG. 7




FIG. 8

