



US00D462221S

(12) **United States Design Patent**
Brewer

(10) **Patent No.: US D462,221 S**

(45) **Date of Patent: ** Sep. 3, 2002**

(54) **INFANT CARRIER COVER**

(76) **Inventor: Marvelee Johnson Brewer, 812 W. Cypress, Bloomfield, NM (US) 87413**

(**) **Term: 14 Years**

(21) **Appl. No.: 29/137,165**

(22) **Filed: Feb. 14, 2001**

(51) **LOC (7) Cl. 06-13**

(52) **U.S. Cl. D6/611**

(58) **Field of Search D6/333, 610, 611; 150/154, 158, 901; 297/219.1, 219.12, 228.1, 228.12, 228.13, 250.1, 184.1, 184.11, 184.13, 184.15, 184.17; 5/416, 633, 655, 922; 296/77.1; D21/419, 424, 427, 433**

D403,715 S	*	1/1999	Keegan et al.	D21/433 X
D405,846 S	*	2/1999	Walter	D21/433
5,956,767 A		9/1999	Imm	
6,012,184 A		1/2000	Childers	
6,012,189 A		1/2000	Dudley	
6,012,756 A		1/2000	Clark-Dickson	
6,019,421 A		2/2000	Roh	
6,036,261 A	*	3/2000	Woods et al.	297/184.13
D433,851 S	*	11/2000	Roh	D6/333 X
6,209,953 B1	*	4/2001	Mackay et al.	297/184.1

FOREIGN PATENT DOCUMENTS

WO WO97/27788 8/1997

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Monica A. Weingart

(74) *Attorney, Agent, or Firm*—Morriss Bateman O’Bryant & Compagni, P.C.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,143,774 A	6/1915	Nicholls	
1,257,206 A	2/1918	Fernbach	
1,291,191 A	1/1919	Semple	
1,412,935 A	4/1922	Greenebaum	
1,735,521 A	11/1929	Young	
2,037,216 A	4/1936	Echlin	
2,648,565 A	8/1953	Kennedy et al.	
3,717,374 A	2/1973	Pearce	
3,799,606 A	3/1974	Gesslein	
3,860,980 A	1/1975	Ebert	
4,579,385 A	4/1986	Koenig	
4,583,779 A	4/1986	Myers	
4,733,906 A	3/1988	Davis et al.	
D305,084 S	12/1989	Gyebnar	
4,946,221 A	8/1990	Livingston	
5,074,616 A	12/1991	Smith	
D325,836 S	* 5/1992	Morton	D6/333 X
5,184,865 A	2/1993	Mohtasham et al.	
5,309,586 A	5/1994	Sies et al.	
5,437,061 A	8/1995	Kenner	
5,449,014 A	9/1995	Yan-ho	
5,522,639 A	6/1996	Jaime	
5,549,354 A	8/1996	Rosen	
5,730,490 A	3/1998	Mortenson	
D395,372 S	6/1998	Simpson	
D396,207 S	7/1998	Berkey	
5,806,924 A	9/1998	Gonas	


(57) **CLAIM**

The design for an infant carrier cover, as shown and described.

DESCRIPTION

FIG. 1 shows a side view of the infant carrier cover made in accordance with the principles of the present invention; FIG. 2 shows a front view of the infant carrier cover of FIG. 1; FIG. 3 shows a rear view of the infant carrier cover; FIG. 4 shows a rear view of an infant carrier cover with the outermost cover pulled down; FIG. 5 shows a side perspective view of the infant carrier cover open for inserting or removing an infant; FIG. 6 shows top view of the infant carrier cover; FIG. 7 shows a front view of the infant carrier cover with the outermost layer folded down to show an infant disposed the cover; and, FIG. 8 shows a side view of the infant carrier cover with the front outer layer and the rear outer layer folded down. The broken line showing of an infant carrier, in FIGS. 1–3, 5, 7, and 8, and the figure of an infant, in FIG. 7, is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8