



US00D462221S

(12) **United States Design Patent** (10) **Patent No.:** **US D462,221 S**
Brewer (45) **Date of Patent:** **** Sep. 3, 2002**

(54) **INFANT CARRIER COVER**
(76) Inventor: **Marvelee Johnson Brewer**, 812 W. Cypress, Bloomfield, NM (US) 87413
(**) Term: **14 Years**
(21) Appl. No.: **29/137,165**
(22) Filed: **Feb. 14, 2001**
(51) **LOC (7) Cl.** **06-13**
(52) **U.S. Cl.** **D6/611**
(58) **Field of Search** D6/333, 610, 611; 150/154, 158, 901; 297/219.1, 219.12, 228.1, 228.12, 228.13, 250.1, 184.1, 184.11, 184.13, 184.15, 184.17; 5/416, 633, 655, 922; 296/77.1; D21/419, 424, 427, 433

D403,715 S * 1/1999 Keegan et al. D21/433 X
D405,846 S * 2/1999 Walter D21/433
5,956,767 A 9/1999 Imm
6,012,184 A 1/2000 Childers
6,012,189 A 1/2000 Dudley
6,012,756 A 1/2000 Clark-Dickson
6,019,421 A 2/2000 Roh
6,036,261 A * 3/2000 Woods et al. 297/184.13
D433,851 S * 11/2000 Roh D6/333 X
6,209,953 B1 * 4/2001 Mackay et al. 297/184.1

FOREIGN PATENT DOCUMENTS

WO WO97/27788 8/1997

* cited by examiner

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Monica A. Weingart
(74) *Attorney, Agent, or Firm*—Morriss Bateman O’Bryant & Compagni, P.C.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,143,774 A 6/1915 Nicholls
- 1,257,206 A 2/1918 Fernbach
- 1,291,191 A 1/1919 Semple
- 1,412,935 A 4/1922 Greenebaum
- 1,735,521 A 11/1929 Young
- 2,037,216 A 4/1936 Echlin
- 2,648,565 A 8/1953 Kennedy et al.
- 3,717,374 A 2/1973 Pearce
- 3,799,606 A 3/1974 Gesslein
- 3,860,980 A 1/1975 Ebert
- 4,579,385 A 4/1986 Koenig
- 4,583,779 A 4/1986 Myers
- 4,733,906 A 3/1988 Davis et al.
- D305,084 S 12/1989 Gyebnar
- 4,946,221 A 8/1990 Livingston
- 5,074,616 A 12/1991 Smith
- D325,836 S * 5/1992 Morton D6/333 X
- 5,184,865 A 2/1993 Mohtasham et al.
- 5,309,586 A 5/1994 Sies et al.
- 5,437,061 A 8/1995 Kenner
- 5,449,014 A 9/1995 Yan-ho
- 5,522,639 A 6/1996 Jaime
- 5,549,354 A 8/1996 Rosen
- 5,730,490 A 3/1998 Mortenson
- D395,372 S 6/1998 Simpson
- D396,207 S 7/1998 Berkey
- 5,806,924 A 9/1998 Gonas


(57) **CLAIM**

The design for an infant carrier cover, as shown and described.

DESCRIPTION

FIG. 1 shows a side view of the infant carrier cover made in accordance with the principles of the present invention; FIG. 2 shows a front view of the infant carrier cover of FIG. 1; FIG. 3 shows a rear view of the infant carrier cover; FIG. 4 shows a rear view of an infant carrier cover with the outermost cover pulled down; FIG. 5 shows a side perspective view of the infant carrier cover open for inserting or removing an infant; FIG. 6 shows top view of the infant carrier cover; FIG. 7 shows a front view of the infant carrier cover with the outmost layer folded down to show an infant disposed the cover; and, FIG. 8 shows a side view of the infant carrier cover with the front outer layer and the rear outer layer folded down. The broken line showing of an infant carrier, in FIGS. 1–3, 5, 7, and 8, and the figure of an infant, in FIG. 7, is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8