



US00D462336S

(12) **United States Design Patent**
Chaiken et al.

(10) **Patent No.: US D462,336 S**

(45) **Date of Patent: ** Sep. 3, 2002**

(54) **WRIST COMMUNICATOR**

(75) Inventors: **David L. Chaiken**, Menlo Park; **Stuart H. Gannes**; **Daniel K. Harden**, both of Palo Alto; **Christopher D. Weeldreyer**, San Francisco, all of CA (US); **Misha Pavel**, Portland, OR (US); **Burt R. Wolder**, Mendham, NJ (US)

(73) Assignee: **AT&T Corp.**, New York, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/128,447**

(22) Filed: **Aug. 25, 2000**
(Under 37 CFR 1.47)

(51) **LOC (7) Cl. 14-03**

(52) **U.S. Cl. D14/138; D10/31**

(58) **Field of Search D14/137, 138, D14/218, 147-148, 247-248, 144, 191, 341-347, 205, 206, 223; 379/433.01-433.13, 419, 434, 428.01-428.04, 420.01-420.04, 440; 455/550-575, 90; D10/30-32, 38-39; 368/10, 13**

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,677,521	A	*	6/1987	Frazier	361/220
D339,299	S	*	9/1993	Kawashima	D10/31
5,381,387	A	*	1/1995	Blonder	368/10
5,467,324	A	*	11/1995	Houlihan	368/10
D367,819	S	*	3/1996	Wagenheim	D10/32
5,499,292	A	*	3/1996	Blonder et al.	379/433.1
5,508,978	A	*	4/1996	Kalbermatter et al.	368/13

D369,751	S	*	5/1996	Boyer et al.	D10/31
5,564,082	A	*	10/1996	Blonder et al.	455/90
D380,393	S	*	7/1997	Molas	D10/31
5,659,611	A	*	8/1997	Saksa	379/433.1
5,724,667	A	*	3/1998	Furuno	455/575
D399,760	S	*	10/1998	Riley	D10/32
5,832,098	A	*	11/1998	Chen	381/370
D407,654	S	*	4/1999	Rayon	D10/31
D427,170	S	*	6/2000	Edwards et al.	D14/138
6,091,965	A	*	7/2000	Voroba et al.	455/550
D434,677	S	*	12/2000	Greinacher	D10/32
6,285,757	B1	*	9/2001	Carroll et al.	345/619
6,292,573	B1	*	9/2001	Zurek et al.	381/386
6,311,071	B1	*	10/2001	Voroba et al.	455/550

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Kenyon & Kenyon

(57) **CLAIM**

The ornamental design for a wrist communicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wrist communicator showing our new design;

FIG. 2 is an enlarged partial perspective view showing the detachable earpiece rotated to the opposite side and opened to an in use position;

FIG. 3 is an enlarged partial perspective view thereof;

FIG. 4 is an enlarged partial top plan view thereof;

FIG. 5 is an enlarged partial perspective view showing the detachable earpiece detached from the wrist communicator housing; and,

FIG. 6 is an enlarged side perspective view thereof.

1 Claim, 6 Drawing Sheets





Fig. 1



Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6