



US00D462337S

(12) **United States Design Patent** (10) **Patent No.:** **US D462,337 S**
Schmidt et al. (45) **Date of Patent:** **** Sep. 3, 2002**

(54) **BASE FOR A REMOTE TELEPHONE
TRANSCEIVER**

(75) Inventors: **Peter O. Schmidt**, Campbell, CA (US);
Jeffrey S. Jones, Los Altos, CA (US)

(73) Assignee: **Hello Direct, Inc.**, San Jose, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/138,183**

(22) Filed: **Mar. 7, 2001**

(51) **LOC (7) Cl.** **14-03**

(52) **U.S. Cl.** **D14/149; D14/251**

(58) **Field of Search** D14/137, 434,
D14/138, 447, 148, 147, 149-151, 140-142,
240, 241, 251, 253, 451; 379/426, 449,
419, 420.04, 428.01, 440, 454, 455, 446;
455/550-575, 90; D13/107, 108; 320/110,
113, 114, 115; D3/218

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,474 S	6/1989	Hotsumi et al.		D14/142
D323,504 S	1/1992	Langton		D14/142
D335,861 S	* 5/1993	Tattari		D13/108
D344,708 S	* 3/1994	Ho		D13/108
D350,545 S	9/1994	Olkola et al.		D14/253
D356,798 S	3/1995	Rudkiewicz et al.		D14/253
D361,335 S	8/1995	Rudkiewicz et al.		D14/253
D373,124 S	* 8/1996	Behar et al.		D14/148
D381,664 S	* 7/1997	Williams et al.		D14/251
D385,559 S	10/1997	Conrado et al.		D14/159
D386,495 S	* 11/1997	Schmoll		D14/149
D387,337 S	* 12/1997	Sween et al.		D14/107
D388,434 S	* 12/1997	Lepack		D14/149
D402,625 S	* 12/1998	Smith		D13/108
D411,824 S	* 7/1999	Wilson, Sr. et al.		D13/108
D411,989 S	* 7/1999	Grossman et al.		D14/107

D412,162 S	*	7/1999	Tal et al.		D14/114
D413,435 S	*	9/1999	Chapman et al.		D3/219
D414,180 S		9/1999	Waldner		D14/149
D414,490 S		9/1999	Heinen et al.		D14/148
D420,989 S	*	2/2000	Sandhu et al.		D14/114
D433,005 S		10/2000	McGugan		D14/155
D439,908 S	*	4/2001	Gozani		D14/434
D442,578 S	*	5/2001	Haase et al.		D14/253
D444,472 S	*	7/2001	Russell et al.		D14/434
D445,087 S	*	7/2001	Skoger et al.		D13/108

FOREIGN PATENT DOCUMENTS

EP 701357 A * 3/1996

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—Haverstock & Owens LLP

(57) **CLAIM**

The ornamental design for a base for a remote telephone transceiver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a base for a remote telephone transceiver;

FIG. 2 is a front view of the base for a remote telephone transceiver thereof;

FIG. 3 is a top view of the base for a remote telephone transceiver thereof;

FIG. 4 is a side view of the base for a remote telephone transceiver thereof;

FIG. 5 is a side view of the base for a remote telephone transceiver thereof;

FIG. 6 is a back view of the base for a remote telephone transceiver thereof; and,

FIG. 7 is a bottom view of the base for a remote telephone transceiver thereof.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7