



US00D462790S

(12) **United States Design Patent**  
**Bullinger et al.**

(10) **Patent No.:** **US D462,790 S**

(45) **Date of Patent:** **\*\* Sep. 10, 2002**

(54) **SIDING ELEMENT**

5,038,477 A 8/1991 Parrow  
5,878,542 A \* 3/1999 Cornelius ..... 52/519

(75) Inventors: **Michael J. Bullinger**, Fargo, ND (US);  
**Russell L. Cooper**, Crewell, OR (US)

\* cited by examiner

(73) Assignee: **United States Seamless**, Fargo, ND  
(US)

*Primary Examiner*—Doris Clark

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a siding element, as shown and described.

(21) Appl. No.: **29/131,311**

**DESCRIPTION**

(22) Filed: **Oct. 18, 2000**

(51) **LOC (7) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/141**

(58) **Field of Search** ..... D25/139, 141-144;  
52/519, 520, 554

FIG. 1 shows a perspective view of a siding element according to the principles of the present invention;

FIG. 2 shows a front elevational view thereof, a rear elevational view not being shown as it is void of ornamentation;

FIG. 3 shows an end view thereof;

FIG. 4 shows a top plan view thereof; and,

FIG. 5 shows a bottom plan view thereof.


The siding element is broken in the center to indicate indeterminate length.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,020,666 A 5/1977 Beymer  
D291,249 S \* 8/1987 Manning ..... D25/141  
4,787,233 A 11/1988 Beymer

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2

# FIG. 3



FIG. 4




FIG. 5

