

(12) United States Design Patent (10) Patent No.: US D462,965 S (45) Date of Patent: ****** *Sep. 17, 2002 Pentz

DATA CARD (54)

- Inventor: Jamily Pentz, Tega Cay, SC (US) (75)
- Assignee: Bank of America Corporation, (73)Charlotte, NC (US)
- This patent is subject to a terminal dis-Notice: (*` claimer.

(**) Term: 14 Years Primary Examiner—Kay H. Chin (74) Attorney, Agent, or Firm-Michael A. Springs; Covington & Burling

CLAIM (57)

The ornamental design for a data card, as shown and described.

DESCRIPTION

Appl. No.: 29/141,693 (21)

May 11, 2001 (22)Filed:

- LOC (7) Cl. 14-02 (51)
- (52)
- (58)D14/436; 283/106, 107, 108, 75, 900, 904, 82; D19/9, 10

(56)**References** Cited

U.S. PATENT DOCUMENTS

3,230,650 A		1/1966	Orkin	
4,079,883 A		3/1978	Calder	
4,338,805 A		7/1982	Nygren	
4,443,027 A		4/1984	McNeely et al.	
4,682,794 A	*	7/1987	Margolin	283/82

(List continued on next page.)

FIG. 1 is a perspective view of a data card showing my new design;

FIG. 2 is a top plan view thereof, the bottom being a mirror image;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left elevational view thereof, the right being a mirror image;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a perspective view of an alternative embodiment of a data card showing my new design;

FIG. 7 is a front elevational view thereof;

FIG. 8 is a rear elevational view thereof (the top and bottom) plan views being identical to FIG. 2 and the left and right elevational views being identical to FIG. 4);

FIG. 9 is a perspective view of an alternative embodiment of a data card showing my new design;

FIG. 10 is a front elevational view thereof;

FIG. 11 is a rear elevational view thereof (the top and bottom) plan views being identical to FIG. 2 and the left and right elevational views being identical to FIG. 4); FIG. 12 is a perspective view of an alternative embodiment of a data card showing my new design;

FOREIGN PATENT DOCUMENTS

WO WO 9311510 A1 6/1993

OTHER PUBLICATIONS

Identification cards—Physical characteristics, ISO/IEC, 7810: 1995(E).

Identification cards—Recording technique—Part 2: Magnetic stripe—Low coercivity, ISO/IEC, 7811–2: 2001(E). Identification cards—Recording techinque—Part 3: Location of embossed characters on ID-1 cards, ISO/IEC, 7811–3: 1995(E).

(List continued on next page.)

FIG. 13 is a front elevational view thereof; FIG. 14 is a rear elevational view thereof (the top and bottom) plan views being identical to FIG. 2 and the left and right elevational views being identical to FIG. 4); FIG. 15 is a perspective view of an alternative embodiment of a data card showing my new design; FIG. 16 is a front elevational view thereof; and, FIG. 17 is a rear elevational view thereof (the top and bottom) plan views being identical to FIG. 2 and the left and right elevational views being identical to FIG. 4).

1 Claim, 4 Drawing Sheets



US D462,965 S Page 2

U.S. PATENT DOCUMENTS

4,711,996 A	* 12/1987	Drexler 235/468
4,914,281 A	4/1990	Benton et al.
5,061,845 A	10/1991	Pinnavaia
5,090,736 A	* 2/1992	Minkus 283/77
5,096,228 A	3/1992	Rinderknecht
5,250,341 A	10/1993	Kobayashi et al.
5,255,941 A	* 10/1993	Solomon 283/82
5,700,037 A	12/1997	Keller
5,844,230 A	12/1998	Lalonde
D406 861 S	* 3/1000	Leedy Ir D10/10

OTHER PUBLICATIONS

Identification cards—Recording technique—Part 4: Location of read-only magnetic tracks—Tracks 1 and 2, ISO/ IEC, 7811–4: 1995(E). Identification cards—Recording technique—Part 5: Location of read-write magnetic tracks—Track 3, ISO/IEC, 7811–5: 1995(E). Identification cards—Recording technique—Part 6: Magnetic stripe—High coercivity, ISO/IEC, 7811–6: 2001(E). Photocopy of a Metro farecard.

D400,801	3	-+-	3/1999	Leedy, Jr D19/10
D420,658	S	∗	2/2000	Eyler D14/436
6,196,594	B 1	≉	3/2001	Keller 283/82

Photocopy of grocery discount card (2 pages).

* cited by examiner

U.S. Patent Sep. 17, 2002 Sheet 1 of 4 US D462,965 S

FIG. 1

FIG. 2







FIG. 3



FIG. 4

U.S. Patent Sep. 17, 2002 Sheet 2 of 4 US D462,965 S

FIG. 6







FIG. 7



FIG. 9





FIG. 8



U.S. Patent Sep. 17, 2002 Sheet 3 of 4 US D462,965 S







FIG. 11



FIG. 13







U.S. Patent Sep. 17, 2002 Sheet 4 of 4 US D462,965 S



FIG. 16



