



US00D463192S

(12) **United States Design Patent** (10) **Patent No.:** **US D463,192 S**
Uneo et al. (45) **Date of Patent:** **** Sep. 24, 2002**

(54) **THERMALLY INSULATED CONTAINER
WITH MEANS FOR HEATING LIQUID
STORED THEREIN**

(75) Inventors: **Haruhiko Uneo**, Osaka (JP); **Fumiyasu Nakano**, Nara (JP); **Masakazu Umeda**, Hyogo (JP); **Masanori Hamada**, Osaka (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/151,576**

(22) Filed: **Nov. 5, 2001**

(30) **Foreign Application Priority Data**

Jun. 22, 2001 (JP) 2001-018226

(51) **LOC (7) Cl.** **07-01**

(52) **U.S. Cl.** **D7/306; D7/354; D7/312; D7/300**

(58) **Field of Search** D7/354, 305, 538,
D7/306, 605, 312, 321, 313, 300, 608;
270/592.25; 99/403; 96/362; 222/185, 154,
182, 183; 217/52

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,232,491 A * 2/1966 Hunt 222/154
D206,317 S * 11/1966 Moglin D7/605
D225,884 S * 1/1973 Hanig D7/605
3,801,334 A * 4/1974 Sano et al. 99/403
D280,691 S * 9/1985 Santoiemma D7/312
D302,375 S * 7/1989 Kitakaze et al. D7/361
D309,396 S * 7/1990 Lundblade et al. D7/313
D318,395 S * 7/1991 Juergens D7/311
D338,366 S * 8/1993 Ueda et al. D7/312
D341,056 S * 11/1993 Powell D7/354

D344,657 S * 3/1994 Knopp D7/313
D360,804 S * 8/1995 Hamada et al. D7/354
D374,588 S * 10/1996 Federico D7/354
D400,391 S * 11/1998 Hulley D7/313
D410,815 S * 6/1999 Oger D7/354
D436,795 S * 1/2000 Martres et al. D7/354
D422,447 S * 4/2000 Josancy D7/354
D423,277 S * 4/2000 Josancy D7/354
D432,348 S * 10/2000 Shaw D7/354
D446,680 S * 8/2001 Falt et al. D7/354
D452,412 S * 12/2001 Jeong D7/354
D452,795 S * 1/2002 Johnson et al. D7/354

FOREIGN PATENT DOCUMENTS

JP 1073100 6/2000

* cited by examiner

Primary Examiner—M. N. Pandozzi

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a thermally insulated container with means for heating liquid stored therein, as shown.

DESCRIPTION

FIG. 1 is a perspective view showing an embodiment of our new design;

FIG. 2 is a front view of the embodiment shown in FIG. 1;

FIG. 3 is a rear view of the embodiment shown in FIGS. 1–2;

FIG. 4 is a top view of the embodiment shown in FIGS. 1–3; and

FIG. 5 is a bottom view of the embodiment shown in FIGS. 1–4;

FIG. 6 is a first side view of the embodiment shown in FIGS. 1–5; and,

FIG. 7 is a second side view of the embodiment shown in FIGS. 1–6.

1 Claim, 4 Drawing Sheets






Fig. 1



F i g . 2



F i g . 3




Fig. 4




Fig. 5




Fig. 6





Fig. 7



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 463,192 S
DATED : September 24, 2002
INVENTOR(S) : Haruhiko Uneo et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,


Item [56] U.S. PATENT DOCUMENTS, delete “3,801,334” and substitute
-- 3,801,331 -- in its place.

“D436,795 S” delete “1/2000” and substitute -- 1/2001 -- in its place.

DESCRIPTION, FIG. 6, delete “showin” and substitute -- shown -- in its place.

Signed and Sealed this

Twenty-ninth Day of July, 2003

A handwritten signature in black ink, appearing to read 'James E. Rogan', with a long horizontal flourish extending from the bottom of the signature.

JAMES E. ROGAN
Director of the United States Patent and Trademark Office