



US00D463230S

(12) **United States Design Patent**
Robson

(10) **Patent No.:** **US D463,230 S**

(45) **Date of Patent:** **** Sep. 24, 2002**

(54) **GUARD FOR A STRING TRIMMER**

(75) Inventor: **Nigel Robson**, Newton Hall (GB)

(73) Assignee: **Black & Decker Inc.**, Newark, DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/143,262**

(22) Filed: **Jun. 11, 2001**

(30) **Foreign Application Priority Data**

Dec. 14, 2000 (GB) 2098177

(51) **LOC (7) Cl.** **08-01**

(52) **U.S. Cl.** **D8/8**

(58) **Field of Search** D8/1, 7, 9, 8;
30/122, 276; 56/12.7, 12.1, 1; 172/13, 14,
16

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-------------------|---------|
| D37,743 S | 12/1905 | Ward | |
| 4,282,653 A * | 8/1981 | Comer et al. | 56/12.7 |
| D361,701 S * | 8/1995 | Pink | D8/8 |
| D374,381 S | 10/1996 | Meisner et al. | |
| D377,743 S | 2/1997 | DeMore et al. | |
| D379,748 S | 6/1997 | Reekie et al. | |
| D380,129 S | 6/1997 | Meisner et al. | |
| D380,359 S | 7/1997 | Meisner et al. | |
| D382,450 S | 8/1997 | Meisner et al. | |
| D382,778 S | 8/1997 | Meisner et al. | |
| D382,779 S | 8/1997 | Meisner et al. | |
| D382,780 S | 8/1997 | Meisner et al. | |
| D391,128 S | 2/1998 | Somers | |
| D394,991 S | 6/1998 | Meisner et al. | |

| | | | |
|---------------|---------|---------------------|--------|
| D398,817 S | 9/1998 | Meisner et al. | |
| D414,388 S | 9/1999 | Wright | |
| D417,371 S * | 12/1999 | Searle et al. | D8/8 |
| 6,052,976 A * | 4/2000 | Cellini et al. | 172/13 |
| D437,580 S | 2/2001 | Marshall et al. | |
| D446,699 S | 8/2001 | Marshall et al. | |

OTHER PUBLICATIONS

Black & Decker Outdoor Products Catalog (pp. 6-9) undated.

* cited by examiner

Primary Examiner—Pamela Burgess

(74) *Attorney, Agent, or Firm*—Ajay K. Gambhir

(57) **CLAIM**

The ornamental design for a guard for a string trimmer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a guard for a string trimmer showing my new design;

FIG. 2 is a side elevational view thereof taken from the side shown in FIG. 1;

FIG. 3 is a side elevational view thereof taken from the side opposite that illustrated in FIG. 2;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevational view thereof;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a side elevational view taken from the side shown in FIG. 2 with the guard in a first position; and,

FIG. 9 is a side elevational view taken from the side shown in FIG. 2 with the guard in a second position.

1 Claim, 9 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3





FIG. 4

FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9