



US00D463356S

(12) **United States Design Patent**  
**Rodocker et al.**

(10) **Patent No.:** **US D463,356 S**  
(45) **Date of Patent:** **\*\* Sep. 24, 2002**

(54) **REMOTELY OPERATED SUBSEA VEHICLE**

D399,183 S \* 10/1998 Ciamillo, II ..... D12/308  
D416,225 S 11/1999 Robinson

(76) Inventors: **Donald L. Rodocker**, 1425 Russ Blvd.,  
Suite T-112-D, San Diego, CA (US)  
92101; **Jeffrey D. Krause**, 1425 Russ  
Blvd., Suite T-112-D, San Diego, CA  
(US) 92101

\* cited by examiner

*Primary Examiner*—Lisa Lichtenstein  
(74) *Attorney, Agent, or Firm*—James H. Fritz

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a remotely operated subsea  
vehicle, as shown.

(21) Appl. No.: **29/150,313**

**DESCRIPTION**

(22) Filed: **Nov. 20, 2001**

(51) **LOC (7) Cl.** ..... **12-06**

(52) **U.S. Cl.** ..... **D12/308**

(58) **Field of Search** ..... D12/300, 308;  
114/315, 312, 337; D21/545

FIG. 1 is an isometric view looking toward the left rear of  
a remotely operated subsea vehicle.

FIG. 2 is an isometric view looking toward the left front of  
the vehicle.

FIG. 3 is a top plan view of the vehicle.

FIG. 4 is an elevation view of the left side of the vehicle.

FIG. 5 is a bottom plan view of the vehicle.

FIG. 6 is an elevation view of the front of the vehicle.

FIG. 7 is an elevation view of the rear of the vehicle; and,


FIG. 8 is an elevation view of the right side of the vehicle.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D304,923 S \* 12/1989 Pado ..... D12/308  
D323,808 S \* 2/1992 Desantis ..... D12/308  
5,634,423 A 6/1997 Lashman

**1 Claim, 4 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*



*Fig. 6*



*Fig. 7*



*Fig. 8*