



US00D463478S

(12) **United States Design Patent** (10) **Patent No.:** **US D463,478 S**
Moritz (45) **Date of Patent:** **** Sep. 24, 2002**

(54) **EYEGLASS AND EYEGLASS COMPONENTS**

(75) Inventor: **Hans Karsten Moritz**, Foothill Ranch,
CA (US)

(73) Assignee: **Oakley, Inc.**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/142,084**

(22) Filed: **May 16, 2001**

(51) **LOC (7) Cl.** **16-06**

(52) **U.S. Cl.** **D16/326**

(58) **Field of Search** D16/101, 300-330;
D29/109, 110; 350/41, 44, 51, 52, 158;
2/447, 448

(56) **References Cited**

U.S. PATENT DOCUMENTS

D116,259 S	8/1939	Cook
D146,538 S	4/1947	Gagnon
D167,704 S	9/1952	McCardell
D187,299 S	2/1960	Behr
D189,436 S	12/1960	Carmichael
D192,884 S	5/1962	Petitto
D193,028 S	6/1962	Petitto
D198,939 S	8/1964	Huggins
D204,417 S	4/1966	Shindler
D204,418 S	4/1966	Ramp
D205,419 S	8/1966	Griss
D209,095 S	10/1967	Ramp
3,552,840 A	1/1971	Braget
D300,226 S	3/1989	Ramp
D347,014 S	5/1994	Arnette
D354,501 S	1/1995	Jannard
D366,667 S	1/1996	Arnette
D366,892 S	2/1996	Arnette
D368,732 S	4/1996	Lei
D369,375 S	4/1996	Jannard et al.
D371,383 S	7/1996	Goldman
D376,810 S	12/1996	Ohie
D378,375 S	3/1997	Tsai
D384,686 S	10/1997	Jannard et al.

D385,291 S 10/1997 Jannard et al.

D387,794 S 12/1997 Mage

D389,504 S 1/1998 Simioni

D390,589 S 2/1998 Simioni

D397,350 S 8/1998 Jannard et al.

(List continued on next page.)

OTHER PUBLICATIONS

B.B. Sol, "Mode 72", published by B.B. Sol, France,
unknown publishing date.

U.S. patent application Ser. No. 29/134,638, Jannard et al.,
filed Dec. 21, 2000.

U.S. patent application Ser. No. 29/134,462, Jannard et al.,
filed Dec. 20, 2000.

U.S. patent application Ser. No. 29/139,290, Jannard et al.,
filed Mar. 28, 2001.

U.S. patent application Ser. No. 29/133,945, Jannard et al.,
Dec. 11, 2000.

U.S. patent application Ser. No. 29/142,308, Jannard et al.,
May 23, 2001.

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—Gregory K. Nelson

(57) **CLAIM**

The ornamental design for an eyeglass and eyeglass com-
ponents, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the eyeglass and the
eyeglass components of the present invention;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a left-side elevational view thereof, the right-side
elevational view being a mirror image thereof.

Phantom lining, where utilized, is for illustrative purposes
only and is not intended to limit the claimed design to the
features shown in phantom.

1 Claim, 3 Drawing Sheets



US D463,478 S

U.S. PATENT DOCUMENTS					
D397,351 S	8/1998	Simioni	D408,048 S	4/1999	Jannard et al.
D398,022 S	9/1998	Jannard et al.	D415,188 S	10/1999	Thixton et al.
D399,238 S	10/1998	Simioni	D422,299 S	4/2000	Jannard et al.
D399,239 S	10/1998	Jannard et al.	D423,034 S	4/2000	Arnette
D400,908 S	11/1998	Arnette	D423,035 S	4/2000	Yee et al.
D402,304 S	12/1998	Jannard et al.	D423,548 S	4/2000	Yee et al.
D403,692 S	1/1999	Arnette	D426,568 S	6/2000	Conway
			D432,157 S	10/2000	Simioni




FIG. 1




FIG. 2




FIG. 3

