



US00D463529S

(12) **United States Design Patent**
Dretzka

(10) **Patent No.:** **US D463,529 S**

(45) **Date of Patent:** **** Sep. 24, 2002**

(54) **FAUCET**

(75) **Inventor:** **Lizabeth Dretzka**, Cleveland Heights, OH (US)

(73) **Assignee:** **Moen Incorporated**, North Olmsted, OH (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/137,185**

(22) **Filed:** **Feb. 14, 2001**

(51) **LOC (7) Cl.** **23-01**

(52) **U.S. Cl.** **D23/238**

(58) **Field of Search** D23/238-257;
4/675-678; 137/801

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | |
|------------|---------|--------------------|
| D280,010 S | 8/1985 | Miller et al. |
| D287,747 S | 1/1987 | Miller et al. |
| D295,551 S | 5/1988 | Yost |
| D314,812 S | 2/1991 | Jans |
| D314,813 S | 2/1991 | Jans |
| D320,645 S | 10/1991 | Knapp et al. |
| D321,750 S | 11/1991 | Spangler |
| D323,700 S | 2/1992 | Wilde |
| D326,897 S | 6/1992 | Williams |
| D327,117 S | 6/1992 | Williams |
| D327,529 S | 6/1992 | Dannenberg |
| D327,731 S | 7/1992 | Kajpust et al. |
| D327,944 S | 7/1992 | Stairs, Jr. et al. |
| D329,083 S | 9/1992 | Dannenberg |
| D331,275 S | 11/1992 | Knapp |
| D331,276 S | 11/1992 | Knapp |
| D337,812 S | 7/1993 | Bray |
| D343,227 S | 1/1994 | Dannenberg et al. |
| D350,390 S | 9/1994 | Bollenbacher |
| D350,591 S | 9/1994 | Kawakami |
| D352,095 S | 11/1994 | Bollenbacher |
| D364,213 S | 11/1995 | Dannenberg et al. |
| D366,517 S | 1/1996 | Doughty et al. |

| | | |
|------------|----------|------------------------------|
| D373,815 S | 9/1996 | Chaney |
| D374,478 S | 10/1996 | Doughty et al. |
| D376,413 S | 12/1996 | Kergoet |
| D377,517 S | 1/1997 | Doughty et al. |
| D377,679 S | 1/1997 | Gottwald |
| D379,213 S | 5/1997 | Gottwald |
| D384,729 S | 10/1997 | Fabian |
| D408,895 S | 4/1999 | Lai |
| D409,292 S | 5/1999 | Hyde et al. |
| D412,025 S | 7/1999 | Mark et al. |
| D415,560 S | 10/1999 | Lindholm |
| D415,561 S | 10/1999 | Lindholm |
| D424,663 S | 5/2000 | Mark et al. |
| D428,965 S | 8/2000 | Slothower |
| D428,972 S | 8/2000 | Spangler |
| D428,973 S | 8/2000 | Spangler |
| D428,974 S | 8/2000 | Spangler |
| D429,523 S | 8/2000 | Spangler |
| D429,799 S | 8/2000 | Spangler |
| D429,800 S | 8/2000 | Spangler |
| D430,650 S | 9/2000 | Graves |
| D437,394 S | * 2/2001 | Mark et al. D23/238 |
| D423,086 S | * 4/2001 | Meredith et al. D23/255 |
| D443,337 S | * 6/2001 | Mark et al. D23/238 |

* cited by examiner

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Gregory Andoll
(74) *Attorney, Agent, or Firm*—Cook, Alex, McFarron, Manzo, Cummings & Mehler, Ltd.


(57) **CLAIM**

The ornamental design for a faucet, as shown and described.

DESCRIPTION

FIG. 1 is a front view of my new design for a faucet;
FIG. 2 is a top view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof, the left side being the same as the right side;
FIG. 5 is a bottom view thereof; and,
FIG. 6 is a perspective view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1.

Fig. 2.







Fig. 3.






FIG. 6.