

US00D463550S

(12) **United States Design Patent** (10) **Patent No.:** **US D463,550 S**
Sherman (45) **Date of Patent:** **** Sep. 24, 2002**

(54) **EYEDROPPER POSITIONING DEVICE**

(76) Inventor: **Thomas Sherman**, 4730 E. Indian
School Rd. #120, Phoenix, AZ (US)
85018

(**) Term: **14 Years**

(21) Appl. No.: **29/139,266**

(22) Filed: **Mar. 27, 2001**

(51) **LOC (7) Cl.** **24-02**

(52) **U.S. Cl.** **D24/127; D24/115; D24/120;**
D24/128; D24/140

(58) **Field of Search** **D24/115, 120,**
D24/127, 128, 140, 133; 604/300, 302,
295, 294

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,031,918	A	*	5/1962	Moyers	604/302
D244,670	S	*	6/1977	Winikoff	D24/127
D249,709	S	*	9/1978	Trovinger	D24/127
4,605,398	A	*	8/1986	Herrick	604/300
4,834,727	A	*	5/1989	Cope	604/300
4,960,407	A	*	10/1990	Cope	604/300

* cited by examiner

Primary Examiner—Ian Simmons

(74) *Attorney, Agent, or Firm*—The Halvorson Law Firm

(57) **CLAIM**

The ornamental design for an eyedropper positioning device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an eyedropper positioning device showing my new design, the broken line showing is for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is an alternate perspective view, according to the present invention

FIG. 3 is a view of the front, according to the present invention;

FIG. 4 is a view of the back, according to the present invention;


FIG. 5 is a view of the side, according to the present invention;

FIG. 6 is a view of another side, according to the present invention;

FIG. 7 is a view of the bottom side, according to the present invention; and,

FIG. 8 is a view of the top side, according to the present invention.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8