

## (12) United States Design Patent (10) Patent No.: US D463,665 S Oct. 1, 2002 (45) **Date of Patent:** Sloot \*\*

#### **STORAGE POUCH ON NECKLACE** (54)

- Inventor: Alexander Sloot, Sugarloaf, PA (US) (75)
- Assignee: Pritnmark Industries, Inc. (73)
- 14 Years (\*\*) Term:
- Appl. No.: 29/157,559 (21)
- (22) Filed: Mar. 21, 2002

Primary Examiner—Louis S. Zarfas Assistant Examiner—Monica A. Weingart (74) Attorney, Agent, or Firm-St. Onge Steward Johnston & Reens LLC

(57)**CLAIM** 

The ornamental design for storage pouch on necklace, as shown and described.

# DESCRIPTION

LOC (7) Cl. ..... 03-01 (51) (52)(58)D3/236, 238, 245, 246, 247, 303; D9/305; 150/100, 101, 102, 107, 110, 112, 113, 119, 131, 134, 154, 901; 224/586, 587;

190/100, 101, 109, 115, 903; 303/38, 39, 41, 42, 43, 55, 56, 97, 99, 104, 106, 902

### **References Cited** (56)

## U.S. PATENT DOCUMENTS

D105,366 S	*	7/1937	Neuburger D3/303
D109,542 S	*	5/1938	Browner D3/246
D120,867 S	*	6/1940	Lyon D3/232
D150,080 S	*	6/1948	Maiorana D3/303
4,685,570 A	*	8/1987	Medow D3/303 X
4,811,768 A	*	3/1989	Williams 150/102

\* cited by examiner

FIG. 1 is a front perspective view of a storage pouch on necklace in accordance with the new design; FIG. 2 is a side elevational view of a storage pouch on necklace in accordance with the new design; FIG. 3 is a front elevational view of a storage pouch on necklace in accordance with the new design; FIG. 4 is a rear elevational view of a storage pouch on necklace in accordance with the new design; FIG. 5 is a top elevational view of a storage pouch on necklace in accordance with the new design; FIG. 6 is a bottom elevational view of a storage pouch on necklace in accordance with the new design; and, FIG. 7 is a front perspective view of a storage pouch on necklace in accordance with the new design shown in an open position.

The strap is shown broken away in the views to indicate indeterminate length.

**1** Claim, **3** Drawing Sheets



# U.S. Patent Oct. 1, 2002 Sheet 1 of 3 US D463,665 S



# U.S. Patent Oct. 1, 2002 Sheet 2 of 3 US D463,665 S









$\frown$		
	FIG.	6

#### **U.S. Patent** US D463,665 S Oct. 1, 2002 Sheet 3 of 3





# F/G. 7