



US00D463738S

(12) **United States Design Patent** (10) **Patent No.:** **US D463,738 S**
Jones (45) **Date of Patent:** **** Oct. 1, 2002**

(54) **FLEXIBLE POUCH**
(75) Inventor: **Robert C. Jones**, Elk River, MN (US)
(73) Assignee: **SoftPac Industries, Inc.**, Plymouth, MN (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/151,350**
(22) Filed: **Dec. 5, 2001**
(51) **LOC (7) Cl.** **09-05**
(52) **U.S. Cl.** **D9/305**
(58) **Field of Search** D9/305, 306, 416;
383/200, 33, 102, 104, 113, 906, 907; 428/354;
222/92, 105, 107, 206; 206/484

D420,900 S 1/2000 Berman
D425,409 S 5/2000 Gilliam
D425,410 S 5/2000 Berman
D429,459 S 8/2000 Berman
D430,794 S 9/2000 Parent-Inch
D433,625 S 11/2000 Berman
D434,976 S * 12/2000 Berman D9/305
D436,847 S 1/2001 Berman
D436,848 S 1/2001 Berman
D436,868 S 1/2001 Berman
D437,549 S 2/2001 Berman
D440,868 S 4/2001 Berman
D451,793 S 12/2001 Berman
D455,645 S * 4/2002 Bell et al. D9/305

* cited by examiner

Primary Examiner—Paula A. Mortimer
(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(56) **References Cited**
U.S. PATENT DOCUMENTS

D173,718 S 12/1954 Cargill et al.
D195,313 S 5/1963 Setecka
D206,827 S 1/1967 Arcudi et al.
D208,272 S * 8/1967 Corella D9/416
D285,412 S 9/1986 Harwell, Jr.
D299,751 S 2/1989 Hsei
D301,546 S 6/1989 McCallister
D306,555 S * 3/1990 Lane et al. D9/305
D318,611 S * 7/1991 Sherman D9/305
D318,795 S 8/1991 Christine
D319,176 S * 8/1991 Sherman D9/305
5,059,035 A * 10/1991 Kristensen 383/33
D338,399 S 8/1993 Conte, Jr.
D354,906 S 1/1995 Lane, Jr. et al.
D362,618 S 9/1995 Paling et al.
D386,398 S 11/1997 Davis
D392,559 S * 3/1998 Smith et al. D9/306
D397,608 S 9/1998 Fiore
5,806,983 A * 9/1998 Millon et al. 383/113
D410,838 S * 6/1999 Berman D9/305
D412,665 S 8/1999 Smith et al.
D419,435 S 1/2000 Bonfigli

(57) **CLAIM**

The ornamental design for the flexible pouch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front of a pouch of the present invention which includes two shaped cutouts; FIG. 2 is an elevational view of the front of the embodiment of the invention depicted in FIG. 1; FIG. 3 is a plan view of the top of the embodiment of the invention depicted in FIG. 1; FIG. 4 is an elevational view of the rear of the embodiment of the invention depicted in FIG. 1; FIG. 5 is a plan view of the bottom of the embodiment of the invention depicted in FIG. 1; FIG. 6 is an elevational view of the left of the embodiment of the invention depicted in FIG. 1; and, FIG. 7 is an elevational view of the right of the embodiment of the invention depicted in FIG. 1. The broken lines in FIGS. 1, 2, and 4 are for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7