



US00D463962S

(12) **United States Design Patent**
Gollaway

(10) **Patent No.:** **US D463,962 S**

(45) **Date of Patent:** **** Oct. 8, 2002**

(54) **POWERED CAULK GUN**

(76) Inventor: **Howard Gollaway**, 4344 Garfield Rd.,
Norton, VA (US) 24273

(**) Term: **14 Years**

(21) Appl. No.: **29/145,633**

(22) Filed: **Aug. 3, 2001**

(51) **LOC (7) Cl.** **08-05**

(52) **U.S. Cl.** **D8/14.1**

(58) **Field of Search** D8/14.1, 29.1,
D8/30, 61, 68; 219/227, 229, 242, 259;
222/146.1, 309, 323, 325, 326, 386, 391

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,987,939	A	*	10/1976	Pedone et al.	222/325
4,024,994	A		5/1977	Davis, Jr.	222/326
D281,391	S		11/1985	Somers	D8/61
4,615,469	A		10/1986	Kishi et al.	222/327
D348,811	S	*	7/1994	Albers	D8/14.1
D361,247	S	*	8/1995	Snetting et al.	D8/14.1
5,450,988	A		9/1995	Jerdee	222/333
5,503,307	A		4/1996	Wilson et al.	222/326
D378,338	S	*	3/1997	Acciville et al.	D8/14.1

D382,456	S	*	8/1997	Granville, Jr.	D8/14.1
5,769,272	A		6/1998	Massena	222/1
D399,719	S	*	10/1998	Mignanelli	D8/14.1

* cited by examiner

Primary Examiner—Philip S. Hyder


(57) **CLAIM**

The ornamental design for a powered caulk gun, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the powered caulk gun of the present invention;
 FIG. 2 is a rear elevational view of the powered caulk gun of FIG. 1;
 FIG. 3 is a left side elevational view of the powered caulk gun of FIG. 1; the right side view being a mirror image thereof;
 FIG. 4 is a top plan view of the powered caulk gun of FIG. 1;
 FIG. 5 is a bottom plan view of the powered caulk gun of FIG. 1; and,
 FIG. 6 is a right side elevational view of the powered caulk gun in an alternate assembled position.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2






FIG. 3






FIG. 6