



US00D463989S

(12) **United States Design Patent** (10) **Patent No.:** **US D463,989 S**
Bachinski et al. (45) **Date of Patent:** **** Oct. 8, 2002**

(54) **SEMI-FLUSH AIR DATA SENSOR**

(75) Inventors: **Thomas J. Bachinski**, Lakeville, MN (US); **Timothy T. Golly**, Lakeville, MN (US); **Roger D. Foster**, Burnsville, MN (US); **Brian A. Gilkison**, Burnsville, MN (US)

(73) Assignee: **Rosemount Aerospace Inc.**, Burnsville, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/141,338**

(22) Filed: **May 3, 2001**

(51) **LOC (7) Cl.** **10-04**

(52) **U.S. Cl.** **D10/96**

(58) **Field of Search** D10/96; 73/861.05, 73/861.65, 861.68, 180-182

(56) **References Cited**

U.S. PATENT DOCUMENTS

D346,980 S * 5/1994 Peterson et al. D10/96

* cited by examiner

Primary Examiner—Antoine Duval Davis
(74) *Attorney, Agent, or Firm*—Westman, Champlin & Kelly, P.A.

(57) **CLAIM**

The ornamental design for a semi-flush air data sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a semi-flush air data sensor embodying our new design;

FIG. 2 is an outer side view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof, the bottom view being a mirror image of the top view; and,

FIG. 6 is an innerside view thereof; the dotted line representations form no part of the claimed design.

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6