

US00D464025S

(12)

United States Design Patent

Okano

(10) Patent No.:

US D464,025 S

(45) Date of Patent:

** Oct. 8, 2002

(54) TIRE TREAD

(75) Inventor: Hiroko Okano, Kobe (JP)

(73) Assignee: The Goodyear Tire & Rubber Company, Akron, OH (US)

(**) Term: 14 Years

(21) Appl. No.: 29/151,904

(22) Filed: Dec. 11, 2001

(30) Foreign Application Priority Data

Jun. 22, 2001 (JP) 2001-018177

(51) LOC (7) Cl. 12-15

(52) U.S. Cl. D12/588

(58) Field of Search D12/505, 519, 520, 521, 522, 523, 551, 552, 553, 554, 555, 586, 587, 588, 589, 590, 591; 152/209.1, 209.8, 209.9, 209.13, 209.18, 209.25, 209.28, 455

(56) References Cited

U.S. PATENT DOCUMENTS				
2,186,180	A	*	1/1940	Sloman et al. 152/209.25
D264,702	S	*	6/1982	Kaga D12/586
D296,199	S	*	6/1988	Tansei et al. D12/590
D304,557	S	*	11/1989	Ochiai D12/588
D304,558	S	*	11/1989	Fukumoto D12/588
D370,439	S	*	6/1996	Feider et al. D12/588
D371,756	S	*	7/1996	Kishi et al. D12/588
D390,816	S	*	2/1998	Lassan et al. D12/588
D402,943	S	*	12/1998	Albert et al. D12/588
5,909,756	A	*	6/1999	Miyazaki 152/209.18
D414,446	S	*	9/1999	Kemp, Jr. D12/588
6,203,640	B1	*	3/2001	Campana et al. 152/209.18

OTHER PUBLICATIONS

Goodyear Wingfoot HP Tire, 2000 Tread Design Guide, Jan. 2000, p. 33. 4/5.*

Jetzon Roadmark Highway APG Tire, 2000 Tread Design Guide, Jan. 2000, p. 135. 4/5.*

Multi-Mile Power King Radial Trailer R11 Tire, 2000 Tread Design Guide, Jan. 2000, p. 145. 4/4.*

Bandag FCR Trailer Over-the-Road (Trailer) Tire, 2000 Tread Design Guide, Jan. 2000, p. 222.2/5.*

Hercules Trailway Trailer Over-the-Road Tire, 2000 Tread Design Guide, Jan. 2000, p. 227. 3/4.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) Attorney, Agent, or Firm—David L. King

(57) CLAIM

The ornamental Design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary frontal view.

In the drawings, the broken lines defining the sidewall and inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

The dark stippled surface shading represents the recessed portion of the tread grooves, having a depth as best shown along the top and bottom edges of FIG. 2.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4