



US00D464034S

(12)

United States Design Patent
Arpe

(10) Patent No.:

US D464,034 S

(45) Date of Patent:

**** Oct. 8, 2002**

- (54) **CORDLESS TELEPHONE HANDSET WITH DETACHABLE BASE STATION**
- (75) Inventor: **Michael Arpe**, Kiel (DE)
- (73) Assignee: **DeTeWe AG & Co.**, Berlin (DE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/128,410**
- (22) Filed: **Aug. 24, 2000**
- (30) **Foreign Application Priority Data**
Feb. 25, 2000 (DE) 400 02 118
- (51) **LOC (7) Cl.** **14-03**
- (52) **U.S. Cl.** **D14/147**
- (58) **Field of Search** D14/137, 138, D14/218, 147-148, 247-248, 225, 144, 143, 341-347, 370, 388, 400, 417, 426, 429, 154-156, 399, 191, 226, 228; D13/168; 379/433.01-433.13, 419, 434, 428.01-428.04, 420.01-420.04, 440; 455/550-575, 90; D10/104, 106; D18/2, 7, 12

- (56) **References Cited**
- U.S. PATENT DOCUMENTS**
- D241,854

*

10/1976

Noyes

.....

D14/225
- D253,234

*

10/1979

Cooke

.....

D13/168
- D262,454

*

12/1981

Thomas

.....

D14/143
- D278,333

*

4/1985

Takata

.....

D14/225
- D282,465

*

2/1986

Hurley et al.

.....

D14/138

- 5,351,051

*

9/1994

Yano et al.

.....

341/176
- D361,058

*

8/1995

Domel et al.

.....

D13/168
- D366,262

*

1/1996

Inaba

.....

D14/218
- D373,318

*

9/1996

Berch et al.

.....

D10/106
- D376,114

*

12/1996

Seki et al.

.....

D10/104
- D385,208

*

10/1997

Chui

.....

D10/104
- D387,060

*

12/1997

Inukai

.....

D14/218
- D391,568

*

3/1998

Carlson

.....

D14/138
- D405,796

*

2/1999

Uehara

.....

D14/218
- D406,779

*

3/1999

Pinardi et al.

.....

D10/104
- D415,115

*

10/1999

Kawashima

.....

D13/168
- D416,252

*

11/1999

Haase et al.

.....

D14/137
- D430,854

*

9/2000

Vende et al.

.....

D13/168
- D434,021

*

11/2000

Brewer

.....

D14/147
- D444,454

*

7/2001

Hanna et al.

.....

D14/138
- D445,042

*

7/2001

Arpe

.....

D10/50

* cited by examiner

Primary Examiner—Jeffrey Asch
(74) *Attorney, Agent, or Firm*—Laurence A. Greenberg; Werner H. Stemer; Ralph E. Locher

- (57) **CLAIM**
- The ornamental design for a cordless telephone handset with detachable base station, as shown and described.

DESCRIPTION

FIG. 1 is an exploded perspective view of the cordless telephone handset detached from its base station; and, FIG. 2 is a perspective view of the cordless telephone handset docked with its base station.

1 Claim, 2 Drawing Sheets






Fig. 1



Fig. 2