



US00D464315S

(12)

United States Design Patent

Lopez

(10)

Patent No.:

US D464,315 S

(45)

Date of Patent:

** Oct. 15, 2002

(54) TREAD OF A TIRE

(75) Inventor: Jose Merino Lopez, Riom (FR)

(73) Assignee: Michelin Recherche et Technique S.A., Granges-Paccot (CH)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: 14 Years

D334,361 S	3/1993	Croissant	D12/147
D340,891 S	11/1993	Patel	D12/147
D352,488 S	11/1994	Siramy	D12/147
D383,716 S	9/1997	Brown et al.	D12/147
D388,040 S	* 12/1997	De Barsy	D12/574
D410,420 S	* 6/1999	De Barsy	D12/600
D432,962 S	* 10/2000	Lopez	D12/600
D444,424 S	* 7/2001	Habay	D12/588

FOREIGN PATENT DOCUMENTS

DE M 93 08 066 * 9/1994

OTHER PUBLICATIONS

Bridgestone BT50 Radial (Front) and (Rear) Tires, 1996 Tread Design Guide, Jan. 1996, p. 207. 1/4 & 1/5.*
Eldorado XR4 A/S P-Metric Tire, 2000 Tread Design Guide, Jan. 2000, p. 28. 2/5.*

(List continued on next page.)

Primary Examiner—Robert M. Spear
(74) Attorney, Agent, or Firm—Baker Botts LLP

(57) CLAIM

The ornamental design for a tread of a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tread of a tire of the present invention, it being understood that the pattern is repeated uniformly throughout the circumference of the tread; and, FIG. 2 is an elevational view of the tread of the tire tread shown in FIG. 1.
The broken lines showing the inner bead in FIG. 1 and the side walls in FIG. 2 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets

(30) Foreign Application Priority Data

Sep. 22, 2000 (FR) 00 5553

(51) LOC (7) Cl. 12-15


(52) U.S. Cl. D12/597

(58) Field of Search D12/574, 580,
D12/586, 587, 590, 592, 593, 594, 595,
596, 597, 598, 600, 601, 602, 603; 152/209.1,
209.9, 209.13, 209.18, 209.19, 209.27

(56) References Cited

U.S. PATENT DOCUMENTS

D177,307 S	*	4/1956	Billingsley	D12/586
D215,523 S	*	10/1969	Zoltan	D12/586
D224,376 S	*	7/1972	Beaudoin	D12/586
D232,715 S	*	9/1974	Vizina	D12/594
D250,405 S		11/1978	Nyblom	D12/146
D301,445 S		6/1989	Terada	D12/147
D304,918 S		12/1989	Hinrichsen	D12/146
D309,884 S		8/1990	Kitagawa	D12/146
D312,231 S	*	11/1990	Guspodin	D12/147
D316,692 S		5/1991	Fukumoto	D12/146
D328,578 S		8/1992	Cormier et al.	D12/146



OTHER PUBLICATIONS

Goodyear Eagle GA Tire, 2000 Tread Design Guide, Jan. 2000, p. 34. 4/3.*
Hood Winter King Tire, 2000 Tread Design Guide, Jan. 2000, p. 39. 2/3.*
Medalist Winter King Tire, 2000 Tread Design Guide, Jan. 2000, p. 46. 2/3.*
Shell Pacemark Metric SR Tire, 2000 Tread Design Guide, Jan. 2000, p. 63. 1/1.*

Sigma Shadow Tire, 2000 Tread Design Guide, Jan. 2000, p. 63. 3/1.*
Woosung SM-705 Tire, 2000 Tread Design Guide, Jan. 2000, p. 74. 2/4.*
Republic Highliner Premium Hwy Tire, 2000 Tread Design Guide, Jan. 2000, p. 109. 1/2.*
Sigma Boat Trailer Tire, 2000 Tread Design Guide, Jan. 2000, p. 111. 4/1.*

* cited by examiner




Figure 1




Figure 2