

(12) United States Design Patent (10) Patent No.: US D464,322 S Hiramoto et al. (45) Date of Patent: ** Oct. 15, 2002

(54) ELECTRIC CONTACT

- (75) Inventors: Masayuki Hiramoto, Hirakata (JP); Takashi Suyama, Amagasaki (JP)
- (73) Assignee: J.S.T. Mfg. Co. Ltd., Osaka (JP)
- (**) Term: 14 Years
- (21) Appl. No.: 29/132,816

6,142,820 A	*	11/2000	Sook	439/397
6,280,230 B1	≉	8/2001	Takase et al	439/397

* cited by examiner

Primary Examiner—Joel Sincavage (74) Attorney, Agent, or Firm—Antonelli, Terry, Stout & Kraus, LLP

(57) CLAIM

The ornamental design for an electric contact, as shown and described.

(22) Filed: Nov. 17, 2000

(30) Foreign Application Priority Data

May 19, 2000 (JP) 2000-013308

- (52) U.S. Cl. D13/154
- (58) **Field of Search** D13/133, 154; 439/397, 398, 399, 400, 401, 404

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,552,429 A	* 11/1985	Alst 439/404
4,820,179 A	* 4/1989	Saijo 439/397 X
4,941,842 A	* 7/1990	Nakashima et al 439/399
5,030,143 A	* 7/1991	Hatagishi 439/397 X
5,061,198 A	* 10/1991	Manabe et al 439/397 X
5,199,899 A	* 4/1993	Ittah 439/404 X
5,997,336 A	* 12/1999	Yamamoto et al 439/397
5,997,337 A	* 12/1999	Torii 439/399
6,086,405 A	* 7/2000	Liebich 439/397

DESCRIPTION

FIG. 1 is a top plan view; FIG. 2 is a front elevation; FIG. 3 is a bottom plan view; FIG. 4 is a right-side elevation; FIG. 5 is a rear elevation; FIG. 6 is a perspective view; and, FIG. 7 is an auxiliary figure showing a cross-sectional view taken along the longitudinal center of the contact shown in use, wherein the subject article (i.e., the electric contact) 1 is secured on the insulated cord 2 and brought into an electric connection with a conductor 3 coated with an insulating mantle 4, through the latter. The broken lines showing the insulated cord, the conductor and insulating mantle in FIG. 7 are included for the purpose of illustrating environmental structure only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



U.S. Patent Oct. 15, 2002 Sheet 1 of 3 US D464,322 S

Fig. 1







-





Fig. 3



U.S. Patent Oct. 15, 2002 Sheet 2 of 3 US D464,322 S











U.S. Patent Oct. 15, 2002 Sheet 3 of 3 US D464,322 S

Fig. 7

2

4 3

