



US00D464483S

(12) **United States Design Patent**
Bloch

(10) **Patent No.:** **US D464,483 S**

(45) **Date of Patent:** **** Oct. 22, 2002**

(54) **TWO SIDED SHEATH FOR CARRYING A PLURALITY OF TOOLS**

D350,229 S * 9/1994 Dancyger D3/228
D451,276 S * 12/2001 Nigh D3/228

(75) Inventor: **David R. Bloch**, Niwot, CO (US)

* cited by examiner

(73) Assignee: **Outdoor Edge Cutlery Corporation**,
Boulder, CO (US)

Primary Examiner—Catherine R. Oliver
(74) *Attorney, Agent, or Firm*—Emery L. Tracy; Donald W. Margolis

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/154,068**

The ornamental design for a two sided sheath for carrying a plurality of tools, as shown and described.

(22) Filed: **Jan. 16, 2002**

DESCRIPTION

Related U.S. Application Data

(63) Continuation-in-part of application No. 09/491,513, filed on Jan. 26, 2000.

FIG. 1 is a front elevational view of a two sided sheath for carrying a plurality of tools showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a left side elevational view thereof; and, FIG. 7 is an upper right side perspective view thereof. The dashed lines in the body of the sheath in FIGS. 1, 2 and 7 represent stitching and form no part of the claimed design. The broken lines showing the environment in FIGS. 1, 2, and 7 and for illustrative purposes only, and form no part of the claimed design.

(51) **LOC (7) Cl.** **03-01**

(52) **U.S. Cl.** **D3/228**


(58) **Field of Search** D3/228, 215, 220, D3/224, 226; 224/684, 673, 901, 904, 240, 241; 206/336-340

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,281,299 A * 10/1918 Crosson 224/684
- 3,949,916 A * 4/1976 Yount 224/240
- 5,341,975 A * 8/1994 Marinescu 224/904

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5 FIG. 6




FIG. 7