



US00D464535S

(12) **United States Design Patent**  
**O'Flynn et al.**

(10) **Patent No.:** **US D464,535 S**

(45) **Date of Patent:** **\*\* Oct. 22, 2002**

(54) **JUICER**

2,315,018 A \* 3/1943 Lawrence ..... 99/501  
D371,055 S \* 6/1996 Fouquet ..... D7/665

(75) Inventors: **Brian J. O'Flynn**, Richmond, VA (US);  
**Brian R. Sullivan**, Richmond, VA (US)

\* cited by examiner

(73) Assignee: **Hamilton Beach/Proctor-Silex, Inc.**,  
Glen Allen, VA (US)

*Primary Examiner*—Terry A. Wallace  
(74) *Attorney, Agent, or Firm*—Roger S. Dybvig

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/155,386**

The ornamental design for a juicer, as shown and described.

(22) Filed: **Feb. 7, 2002**

**DESCRIPTION**

**Related U.S. Application Data**

(62) Division of application No. 29/139,329, filed on Mar. 28,  
2001.

FIG. 1 is a perspective view as seen from the top, front, and  
left sides of a juicer showing our new design;

(51) **LOC (7) Cl.** ..... **31-00**

FIG. 2 is a front elevational view thereof;

(52) **U.S. Cl.** ..... **D7/666**

FIG. 3 is a top plan view thereof;

(58) **Field of Search** ..... D7/665, 666, 372-374,  
D7/381, 384; 99/495, 501-508; 100/110,  
125, 131-135, 213, 283

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof; and,

FIG. 7 is a bottom plan view thereof.


The broken lines in FIGS. 1, 2 and 4 through 7 showing the  
power cord and feet are used for illustrative purposes only  
and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,995,670 A \* 3/1935 Crowe ..... 99/503

**1 Claim, 3 Drawing Sheets**






FIG-1




FIG-2




FIG-3

FIG-4




FIG-5




FIG-6




FIG-7

